

Feature:

- 1. 1. 2. 3. 4. 5. 6. 7. 8. 9.

Specification

5 600 1200KG / damage. Semi PU

| | |
|--|-----------------------|
| | |
| | |
| | polyur PU ^ h |
| | 180-200kg / m3 |
| | * * mm 431 * 429 * 63 |
| | PE |
| | 30 T / T 70 |
| | 1000 |
| | |
| | REACH ROHS |

Products applications

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS



Our company

Finehope 2002 100 41 32. The 7000 1000



Certifications



Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop
模具车间

• PU Foaming Equipment



◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. 为什么选择Finehope?

Finehope 拥有 20 年 PU 发泡设备 R&D 经验; 拥有 10 年 PU 发泡设备生产经验; 拥有 CAT 系统 TVH GGP 12 项专利技术; 拥有 10 年 R&D 经验; D 拥有 10 项专利技术

2. 为什么选择Finehope设备?

1. 设备稳定可靠

2. 设备操作简单

3. Finehope 设备拥有自主知识产权

4. 设备体积小

5. 设备噪音低

6. 设备维护方便

7. Finehope 设备拥有自主知识产权

3. 關於 PU 的說明

關於 PU 的說明

4. 關於 Finehope 的說明

1. 關於 APQP 的說明
2. Finehope 的說明
3. 關於 APQP 的說明
4. 關於 APQP 的說明
5. 關於 APQP 的說明

5. 關於 Finehope 的說明

1. 關於 APQP 的說明
2. 關於 APQP 的說明
3. 關於 APQP 的說明
4. 關於 APQP 的說明

Contact Us



關於 PU 的說明