

Feature:

- 1. 1. 2. 3. 4. 5. 6. 7. 8. 9.

Specification

5 600 1200KG / damage. Semi PU

| | |
|--|-----------------------|
| | |
| | |
| | polyur PU ^ h |
| | 180-200kg / m3 |
| | * * mm 431 * 429 * 63 |
| | PE |
| | 30 T / T 70 |
| | 1000 |
| | |
| | REACH ROHS |

Products applications

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS



Our company

Finehope 2002 100 41 32. The 7000 1000



Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop



• PU Foaming Equipment

◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. 如何改善Finehope?

Finehope 在 PU 行业拥有 R&D 能力; 在 PU 行业拥有 CAT 和 TVH 的 GGP 12 项专利 R&D; D 行业拥有

2. 如何改善Finehope?

1. 如何改善Finehope?

2. 如何改善Finehope?

3. Finehope 如何改善Finehope?

4. 如何改善Finehope?

5. 如何改善Finehope?

6. 如何改善Finehope?

7. Finehope 如何改善Finehope?

3. 關於 PU 服務

請參閱以下服務內容

4. 關於 Finehope 服務

1. 關於 APQP 服務
2. Finehope 服務
3. 關於 服務
4. 關於 服務
5. 關於 服務

5. 關於 Finehope 服務

1. 關於 服務
2. 關於 服務
3. 關於 服務
4. 關於 服務

Contact Us



請參閱以下服務內容