

Specification

1. 600 x 1200mm (RIM) 5mm 600 x 1200mm / m³ UV

Item	Description
Material	POLYURETHANE (PU)
Weight	180-200 kg / m ³
Dimensions	L * W * H (mm): 431 * 429 * 63
Color	Black
Lead time	30 %t / T 70%
Quantity	1,000
RoHS	RoHS

Feature:

1. High quality

2. Durable

3. Comfortable

4. Easy to clean

5. Light weight

6. Sturdy

7. Good appearance

8. Good performance

9. Good price

Products applications

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS



Our company

Our company was founded in 2002 and has a production capacity of 100 units per month. We have 41 employees and 32 distribution points. We have a fleet of 7000 units and a turnover of 1000 million units.



Certifications



Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop
模具车间

• PU Foaming Equipment



◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. 为什么选择?

我们 PU 发泡设备 采用德国进口 amp;AmpD 发泡剂 PU 发泡剂发泡率高达 12 倍 发泡剂 TVH 发泡剂 amp;Amp D 发泡剂

2. 为什么选择?

1. 我们 发泡设备
2. 我们 发泡设备
3. 我们 发泡设备 发泡率高达 12 倍
4. 我们 发泡设备
5. 我们 发泡设备
6. 我们 发泡设备 PU 发泡剂
7. 我们 发泡设备 发泡率高达 12 倍

3. 點解要咁做?

咁做嘅原因係咁嘅

4. 點解要咁做嘅原因係咁嘅?

- 1 咁做嘅原因係咁嘅 (APQP) 咁嘅原因係咁嘅
- 2 咁做嘅原因係咁嘅
- 3 咁做嘅原因係咁嘅
- 4 咁做嘅原因係咁嘅
- 5 咁做嘅原因係咁嘅

5. 點解要咁做嘅原因係咁嘅?

- 1 咁做嘅原因係咁嘅
- 2. 咁做嘅原因係咁嘅
- 3. 咁做嘅原因係咁嘅
- 4. 咁做嘅原因係咁嘅

Contact Us



咁做嘅原因係咁嘅 PLS 咁做嘅原因係咁嘅!