

Specification

600 x 1200 (RIM) 5 600 x 1200 / m³ UV

Material	POLYURETHANE (PU)
Thickness	180-200 mm / m ³
Dimensions	L * W * H (mm): 431 * 429 * 63
Weight	30 %t / T 70%
Quantity	1,000
RoHS	RoHS

Feature:

1.

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

Products applications





Our company

Our company was founded in 2002 and has a production capacity of 100 units per month. We have 41 employees and 32 distribution points across 7000 km². Our company has a turnover of 1000 million and a profit of 100 million.



Certifications



Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop
模具车间

• PU Foaming Equipment



◆Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. 问题 1?

关于 PU 发泡设备 ... 12 ...

2. 问题 2?

1. 问题 2.1
2. 问题 2.2
- 3 问题 2.3
- 4 问题 2.4
- 5 问题 2.5
6. 问题 2.6 PU 发泡
- 7 问题 2.7

3. 點解要咁做?

咁做嘅原因係咁嘅

4. 點解要咁做嘅原因係咁嘅?

- 1 咁做嘅原因係咁嘅 (APQP) 咁嘅原因係咁嘅
- 2 咁做嘅原因係咁嘅
- 3 咁做嘅原因係咁嘅
- 4 咁做嘅原因係咁嘅
- 5 咁做嘅原因係咁嘅

5. 點解要咁做嘅原因係咁嘅?

- 1 咁做嘅原因係咁嘅
2. 咁做嘅原因係咁嘅
3. 咁做嘅原因係咁嘅
4. 咁做嘅原因係咁嘅

Contact Us



vivian@finehope.com



vivianxxm



0086592-6661768



0592-6282029



008618960161049



8618960161049

請大家 PLS 留意!