

## Specification

pu 5mm, rim 600x1200mm, pu 180-200 kg/m<sup>3</sup>, l \* h (mm): oem, 30% 70%, 100, reach, rohs

pu	pu 5mm, rim 600x1200mm
rim	600x1200mm
material	polyurethane (pu), 180-200 kg/m <sup>3</sup>
thickness	5mm
length	180-200 kg/m <sup>3</sup>
width	600x1200mm
weight	180-200 kg/m <sup>3</sup>
density	180-200 kg/m <sup>3</sup>
color	black
certification	reach, rohs

## Feature:

pu 5mm, rim 600x1200mm, pu 180-200 kg/m<sup>3</sup>, l \* h (mm): oem, 30% 70%, 100, reach, rohs

1. pu 5mm
2. rim 600x1200mm
3. pu 180-200 kg/m<sup>3</sup>
4. l \* h (mm): oem
5. 30% 70%
6. 100
7. reach, rohs
8. black
9. pu 5mm

## Products applications

**Finehope**



REACH  
SVHC



SGS

**Finehope**



REACH  
SVHC



SGS

**Finehope**



REACH  
SVHC

 **RoHS** SGS

**Finehope**



REACH  
SVHC

✓  
**RoHS** SGS

# Finehope



REACH SVHC **RoHS** SGS

## Our company

Finehope 2002, 100, 41, 32, 7000, 1000, 0000



## Certifications





## Quality control

### Quality Management



### Material Research and Develop







□□□□□□□□□□□□□□□□□□

**4. Finehope** □□□□□□□□□□

1□□□□: □□□□□□□□□□

2 Finehope □□□□□□□□□□□□□□

3□□□□□□□□□□□□□□

4□□□□□□□□□□□□□□□□□□

5□□□□□□, □□□□□□□□□□□□

**5. □□□□□□□□□□ Finehope** □□□□□□□□

1□□□□□□□□□□□□□□

2. □□□□

3. □□□□□□□□□□□□□□□□

4. □□□□□□□□□□□□□□

**Contact Us**

□□: + 86-0592-15880277853

□□: + 86-0592-6282029

whatsapp: + 86-0592-15880277853

□□□□□: sales19@finehope.com sales19@finehope

□□□□: www.finehope.com

□□□□: http://finehope, 1688□

□□□□, □□□□, pu □□, □□□□□□, □□□□□□ rosh