Feature:

- 1. Waterproof, anti-bacteria, non-slip, self-skinning, fireproof
- $2. \ \ \underline{\text{Tight secure velcro for easy adjustment,}}$
- 3. Soft, comfortable, anti-fatigue, multi-purpose, anti fatigue, anti-corrosion
- 4. Anticorrosion, damp-proof, anti-crack, mothproof, anti-ultraviolet
- 5. No radiation, thick high density multi-layer on high impact zones.

Specification

Anti-fatigue mats are beneficial for back thigh and lower leg or foot, which offer you unique feeling from your head to your toe. Anti fatigue mat is a natural shock absorber, and it can rebound quickly to the smallest weight shift, encourage blood flow to feet, legs, and lower back. The anti fatigue mat is engineered to the optimal degree of softness to minimize the harmful, painful consequences of standing for extended periods as well as to reduce the stress and strain of standing. Anti-Fatigue Mats have been designed to promote better posture, proper circulation, muscle toning and sense of well-being. In addition, the Mats reduce the fatigue and discomfort associated with the stress and strain of long term or static standing.

1	material	Polyurethane (PU), an advanced and trustworthy material,
2	MOQ	100pcs
3	size	as your requirement
4	technical	hand-made and machinery
5	finished	PU self-skin
6	payment term	тл
7	packing	Normal export corrugated carton as per clients' request
8	usage	floor mat, kitchen mat
9	Custom service	Dimension, material, style all can be custom made
10	delivery time	40 days after receiving the deposit
11	remarks	Your satisfaction is our greatest affirmation and if you have any problems please contact us.

Products applications



Products applications



Our company

Finehope was founded in 2002 and the number of workers is more than 100, and the number of management group is 41 with the average age of 32. The company has a modern factory with an area of 7000 square meters, and it also has an office building with an area of 1000 square meters which combines modern and classical styles.











Quality control



Material Research and Develop Polyether type Polye





Certifications











1. What are the advantages of choosing Finehope?

- 1. 1. Product quality assurance, delivery guarantee, good after-sales service
- 2. 2. Cost-effective, fast development efficiency, professional operation with integrity
- 3. 3. Finehope will conduct all testing analysis and then work out testing standards to reduce quality standard dispute between customers and manufacturers.
- 4. 4. Lean production management mode.
- 5. 5. Help customers develop and design new products.
- 6. 6. Has rich experience in the design and processing of pu products.
- 7. 7. Finehope is a high-tech enterprise in China with domestic and international invention patents technology and intellectual property.

2. What are the differences between Finehope and domestic peers?

- 1. 1. Quality assurance: advanced product quality planning(APQP).
- 2. 2. Finehope has rich experience in serving international large enterprises.
- 3. 3. Has professional scientific research team of polyurethane material.
- 4. 4. Has independent design, manufacturing and innovation ability of production equipment and molds.
- 5. 5. Has engineer team who is responsible for the quality assurance system and quality control.

3. What are the differences between Finehope and European and U.S peers?

- 1. 1. Has sound and mature supporting supply chain
- 2. 2. Lower mold costs
- 3. 3. High efficiency of development and design ability and short process time.
- 4. 4. Cost effective and good service attitude.

4. Why you choose Finehope?

1. Finehope is the most professional pu manufacturer in China, which has a professional R & D team, advanced PU production equipment, professional testing equipment and perfect quality management system. We have 12-year cooperation experience with CAT, FIAT, TVH, GGP and other famous enterprises. We provide them with one-stop service from R & D to production to satisfy their customization needs.

Contact Us









0592-6282029



18960161049

