

Specification

此種材料為一種高強度、高韌性之熱塑性聚氨酯 (TPU) 材料，具有優異之物理及化學性能。其密度為 1.200 kg / m³，厚度為 5mm。此種材料具有優異之抗磨、抗刮、抗撕裂及抗老化性能。其表面具有優異之摩擦係數，可提供優異之抓地力。此外，此種材料還具有優異之耐化學性能，可抵抗多種化學物質之侵蝕。其加工性能優異，可採用多種加工方式，如射出成型、吹塑成型等。此種材料廣泛應用於各種工業及民用產品，如輪胎、密封件、軟管、電線外皮等。

材料	TPU, PU, 熱塑性聚氨酯
厚度	5mm
密度	POLYURETHANE (PU), 熱塑性聚氨酯
重量	180~200kg / m ³
尺寸	長 * 寬 * 高 (mm) : 431 * 429 * 63
特性	抗磨、抗刮、抗撕裂、抗老化
耐化學性	30 % t / T 耐化學性 70 %
耐熱性	1,000
加工性	優異
認證	REACH, RoHS 符合

Feature:

此種 Polyurathane 材料具有優異之性能，其主要特點如下：

1. 抗磨、抗刮、抗撕裂、抗老化
 2. 優異之抓地力
 3. 耐化學、耐熱、耐寒
 4. 加工性能優異
 5. 重量輕、強度高
 6. 耐衝擊、耐震動
 7. 符合 REACH, RoHS 等國際認證
 8. 應用廣泛
- 此種材料具有多種規格，可滿足不同客戶之需求。

Products applications





Our company

Finehope 2002 年 10 月 41 日 7000 32 1000



Certifications



Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop
模具车间

• PU Foaming Equipment



◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. Finehope 是什么?

Finehope 是 R & A PU 发泡设备制造商; A; 设备; D 设备, 是生产 PU 发泡设备的主要制造商之一。我们服务 FIAT, 通用, GGP, TVH 等客户。我们拥有 12 年的 R & A 经验; A; 设备; 设备 D 设备 制造商。

2. Finehope 有什么优势?

1. 设备 设备, 设备, 设备 设备 设备 设备
2. 设备 设备, 设备 设备 设备, 设备 设备
3. Finehope 设备 设备 设备 设备, 设备 设备 设备 设备 设备 设备 设备 设备, 设备 设备 设备。
4. 设备。
5. support 设备 设备 设备 设备 设备。
6. 设备 设备 PU 发泡设备 设备 设备 设备 设备。
7. Finehope 设备 设备 设备 设备 设备 设备 设备 设备 设备 设备 设备。

3. 设备 设备 设备 设备?

设备, 设备 设备, 设备 设备, 设备 设备 设备 设备。

Finehope 的 4. 是?

- 1. 的 : (APQP) 的 .
- 2. Finehope 的 的 的 的 的 .
- 3. 的 的 的 的 的 .
- 的 的, 的 的 的 的 4.has.
- 5. 的 的 的 的 , .

5. Finehope 的 的 的 的 的 ?

- 1. 的 的 的
- 2. 的
- 的 3. 的 的 的 .
- 4. 的 的 的 的 .

Contact Us



hannah@finehope.com



86-592-6661766



86-13799269306



86-592-6282029



165335051



13799269306

的 的 的 的 *PLS*, 的 的 的 !