

Feature:

- 1. 1. 2. 3. 4. 5. 6. 7. 8. 9.

Specification

5 600 1200 damage. Semi PU

| | |
|-------------|-------------------|
| Item | Description |
| Material | polyurethane (PU) |
| Weight | 180-200kg / m3 |
| Dimensions | 431 * 429 * 63 mm |
| Material | PE |
| Temperature | 30T / T 70 |
| Quantity | 1000 |
| Compliance | REACH, RoHS |

Products applications

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS



Our company

Finehope 2002 100 41 32. 7000 1000



Certifications



Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop
模具车间

• PU Foaming Equipment



◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. Finehope

Finehope PU R&D; PU 12 CAT TVH GGP R&; ð

2. Finehope

1.

2.

3. Finehope

4.

5.

6. PU

7. Finehope

3. 關於PU

關於PU的詳細資訊請參閱

4. Finehope

1. APQP
2. Finehope
- 3.
- 4.
- 5.

5. Finehope

- 1.
- 2.
- 3.
- 4.

Contact Us



關於我們的更多資訊請參閱