



Specification

1. 此座椅係採用高品質之PU泡棉，坐墊厚度為180-200mm，靠背厚度為100mm，坐墊及靠背之總厚度為300mm，坐墊及靠背之總寬度為431mm，坐墊及靠背之總高度為429mm，坐墊及靠背之總深度為63mm。

型號	FS-180-431-429-63
材質	POLYURETHANE (PU)
坐墊厚度	180-200mm
靠背厚度	100mm
坐墊及靠背之總厚度	300mm
坐墊及靠背之總寬度	431mm
坐墊及靠背之總高度	429mm
坐墊及靠背之總深度	63mm
重量	1000g
顏色	Black
認證	REACH, RoHS

Feature:

此座椅係採用高品質之PU泡棉，坐墊厚度為180-200mm，靠背厚度為100mm，坐墊及靠背之總厚度為300mm，坐墊及靠背之總寬度為431mm，坐墊及靠背之總高度為429mm，坐墊及靠背之總深度為63mm。

1. 採用高品質之PU泡棉
2. 坐墊厚度為180-200mm
3. 靠背厚度為100mm
4. 坐墊及靠背之總厚度為300mm
5. 坐墊及靠背之總寬度為431mm
6. 坐墊及靠背之總高度為429mm
7. 坐墊及靠背之總深度為63mm
8. 重量為1000g
9. 顏色為黑色

Products applications





Our company

Finehope 2002 100 41 32 7000 1000



Certifications




Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

A photograph of a large industrial facility, likely a shipyard or manufacturing plant. Several workers are visible, and large machinery, including a crane, is present. The scene is busy and industrial.



2011年10月15日 星期五



- ◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. Finehope

FinehopePU 12
GGP TVH R&

2. Finehope

1.
2.
- 3 Finehope
- 4
- 5
6. PU
- 7 Finehope

[illegible]

□□□□□□□□□□□□□□□□□□

4. Finehope□□□□□□□□□□□□□□□□

- 1□□□□□□□□APQP□□□□□□□□□□
- 2 Finehope□□□□□□□□□□□□□□□□
- 3□□□□□□□□□□□□□□□□□□□□□□
- 4□□□□□□□□□□□□□□□□□□□□□□□□
- 5□□□□□□□□□□□□□□□□□□□□□□

5.□□□□□□Finehope□□□□□□□□□□□□□□□□

- 1□□□□□□□□□□□□□□□□□□□□□□
- 2.□□□□□□
- 3.□□□□□□□□□□□□□□□□
- 4.□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□*PLS*□□□□□□□□□□□□□□□□