Feature：

[illegible]

Specification

[illegible]

1	[illegible]	[illegible]PU[illegible]
2	[illegible]	100[illegible]
3	[illegible]	[illegible]
4	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
6	[illegible]	T / T
7	[illegible]	[illegible]
8	[illegible]	[illegible]
9	[illegible]	[illegible]
10	[illegible]	[illegible]40[illegible]
11	[illegible]	[illegible]

Products applications

AVAILABLE IN 5 RICH COLORS:

Products applications



Our company

Finehope□□□□□2002□□□□□□□□100□□□□□□□□□41 32.The□□□□□□□□□□□□□□□□□7000□□□□□□□□□□□□□□□□□□□□1000□□□□□□□□□□□□□□□□

Quality control



Certifications

FAQ

1.□□□□□Finehope□□□□□□□

1.□□□□□□□□□□□□□□□□□□□□□□

2[illegible]

3. Finehope[illegible]

4.[illegible]

5.[illegible]

6.[illegible]

7. Finehope[illegible]

2.[illegible]Finehope[illegible]

1.[illegible]APQP[illegible]

2. Finehope[illegible]

3.[illegible]

4.[illegible]

5.[illegible]

3.[illegible]Finehope[illegible]

1.[illegible]

2.[illegible]

3.[illegible]

4.[illegible]

4.[illegible]Finehope[illegible]

Finehope[illegible]R&[illegible];[illegible]PU[illegible]CAT[illegible]TVH[illegible]GGP[illegible]12[illegible]R&[illegible];[illegible]