

Feature:

- 1. 1. 2. 3. 4. 5. 6. 7. 8. 9.

Specification

5 600 1200 / damage. Semi

| | |
|--|-----------------------|
| | |
| | |
| | polyur PU ^ h |
| | 180-200kg / m3 |
| | * * mm 431 * 429 * 63 |
| | |
| | 30 T / T 70 |
| | 1000 |
| | |
| | REACH RoHS |

Products applications

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS



Our company

Finehope 2002 100 41 32. The 7000 100



Certifications



Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop
模具车间

• PU Foaming Equipment



◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. Finehope

Finehope PU R&D; TVH GGP R&D

2. Finehope

1.

2.

3. Finehope

4.

5.

6.

7. Finehope

3. 關於 Finehope 的 PU

關於 Finehope 的 PU

4. Finehope 的 PU

1. 關於 Finehope 的 APQP
2. Finehope 的 PU
3. 關於 Finehope 的 PU
4. 關於 Finehope 的 PU
5. 關於 Finehope 的 PU

5. Finehope 的 PU

1. 關於 Finehope 的 PU
2. 關於 Finehope 的 PU
3. 關於 Finehope 的 PU
4. 關於 Finehope 的 PU

Contact Us



請用 *PLS* 來電或來信