

Building Material



The image displays three circular insets showcasing different building materials. The first inset shows a white, square, fluted decorative base. The second inset shows a vertical stone pillar with a rough, textured surface. The third inset shows a white, square, fluted decorative baluster. The background of the entire image is a photograph of a stone house with a porch, featuring white columns and a wooden railing, set against a backdrop of trees with autumn foliage.

Feature:

1. 
2. 
3. 
4. 
5. 

Specification

`(pu)` `mdf` `ast`

1	電圧	電圧 (pu), 0.9999999999999999
2	電流	100pcs
3	電圧	電圧値
4	電圧	電圧値
5	電圧	電圧
6	電圧	t/t
7	電圧	電圧値
8	電圧	電圧値
9	電圧	電圧値
10	電圧	電圧値40
11	電圧	電圧値, 電圧値, 電圧値

Products applications



Products applications



Our company

Finehope 2002, 100, 41, 32.The, 7000, 1000,






Quality control

Quality Management



Material Research and Develop




I. Quality Management



- ◆Through the continuous push, maintenance and periodic review for the quality management system of ISO9001, ISO/TS 16949, to ensure the system works sufficiently, appropriately and effectively.
- ◆Five core tools of ISO/TS 16949 : APQP, FMEA, MSA, SPC and PPAP. The effective use of these five core tools can make our quality control and overall management level improved greatly, finally to meet the requirements of customer.

II. Material Research and Develop



◆ Under a professional PU material R&D team, the products that has been put into production include MDI, TDI, HDI and PPDI etc polyether and polyester system formula, which covering all PU systems formula.

Certifications



