



Alfombrillas impermeables para cambiar pañales de fábrica, personalizadas en fábrica

Categoría: Almohadilla de PU, alfombrilla

Material: PU Poliuretano - Espuma de piel integral

Densidad: 200-250kg/m3 Venta caliente cambiador impermeable de bebé de alta densidad para bebé

Forma: según los requisitos del cliente para el diseño del producto y el molde personalizado

Color: negro, gris y otros colores se pueden personalizar a pedido.

Embalaje: cartón estándar

Condiciones de pago: 30% de depósito, pago y entrega.

MOQ: 1,000 piezas

Lugar de envío: China • Fujian • Xiamen

Cumple con la certificación: RoSH, REACH, EN71-3, ftálico 6P

Otro: OEM chino y fábricas de procesamiento, especializadas en la producción de productos de PU, incluidos los accesorios (hierro, madera, plásticos, etc.).



Finehope ha obtenido el certificado ISO 9001 de forma continua desde 2003.

Certificación IATF16949:

Finehope aprobó la Certificación de sistemas de gestión de calidad automatriz IATF16949 en 2021. Más de 50 documentos garantizan el progreso del desarrollo de nuevos productos, la calidad, el tiempo de entrega y el costo de los productos de prueba y de producción en masa. Desde la cooperación entre Finehope y Caterpillar en 2007, Finehope ha utilizado el sistema de gestión de calidad automatriz para la introducción de nuevos productos, utilizando las cinco herramientas de SPC, MSA, FMEA, APQP y PPAP, que han recibido elogios de los ejecutivos de Caterpillar y han establecido un largo asociación a largo plazo hasta el momento.


Our Advandages



Capacidades de investigación y desarrollo de materias primas de PU

Desde 2002, Finehope se ha comprometido con el diseño y la fabricación de productos de espuma moldeada de PU. La investigación y el desarrollo independientes de los materiales de la fórmula y la capacidad de producción estable son la base para el aseguramiento de la calidad.

Finehope puede ajustar la fórmula del producto en cualquier momento de acuerdo con las necesidades personalizadas de los productos personalizados de los clientes, como los requisitos de dureza, elasticidad, soporte, sensación, densidad, color y otras propiedades físicas y químicas, y puede hacer que los requisitos de formulación cumplan con las leyes y regulaciones de varios países. Por supuesto, una buena fórmula también debe considerar el mejor rendimiento de costos. Para nuevos proyectos, la capacidad de desarrollar formulaciones de PU es una condición clave para garantizar la calidad del desarrollo del producto, el tiempo de entrega y el costo.



Capacidad de gestión científica.

Finehope destaca la importancia del Sistema de Producción Toyota y el Modelo de Coaching Corporativo para optimizar la eficiencia de la gestión. Mejora continua: la eficiencia y la calidad de todos los empleados, el personal de gestión y producción se han mejorado de manera efectiva y continua, los costos de gestión y producción se han reducido continuamente, pero más importante que la eficiencia y el costo es el cultivo del crecimiento de los empleados a través de la mejora continua, porque este es el núcleo del desarrollo sostenible corporativo.



Capacidades de diseño y fabricación de equipos de automatización.

La capacidad de Finehope para diseñar y fabricar equipos de automatización es rara en la industria. Al participar en el diseño de nuevos equipos de mezcla de inyección de PU y la transformación de automatización de la línea de producción, para garantizar que se reduzca el dividendo demográfico de China bajo la competencia, y los costos de mano de obra continúan aumentando, la eficiencia de producción también se puede mejorar, los costos de mano de obra y materiales se pueden reducir. Además, las capacidades continuas de diseño y fabricación de equipos clave como accesorios, equipos especiales y moldes automáticos también son las razones por las que Finehope ocupa una posición de liderazgo en todos los aspectos. La capacidad de Finehope para reducir costos continuamente e innovar productos puede ayudar a los clientes a generar mayor valor. Por lo tanto, es un socio confiable a largo plazo de muchas empresas Fortune 500 y empresas líderes en la industria.



El refinamiento de Finehope reduce los problemas para los clientes, porque reduce la negligencia en el sistema de procesos humanos y la capacidad de acumular continuamente experiencia profesional, lo que puede garantizar que todos los proyectos nuevos se completen en el menor tiempo posible.

Famous customer

Cooperation experience

Engineering
Vehicle

BOYD
CORPORATION

TVH



Honeywell | STIGA | CAT

Medical
Equipment

Hill-Rom

INVACARE
Yes, you can.

MAQUET
GETINGE GROUP

DrPosture

Ki Mobility

Baby
Supplies

Bumbo Nuby

bugaboo

chicco

Hatch
Baby

GRACO

Fitness
Equipment

STAR TRAC
expect different.

BOWFLEX

IB&G
BUILDING PRODUCTS

ergoDRIVEN

NUVA

Other

PANDORA
UNFORGETTABLE MOMENTS

Cubefit

Knoll

Preguntas más frecuentes

1. ¿Por qué elige Finehope?

Finehope es el fabricante de PU más profesional de China, que cuenta con un equipo profesional de ID, un equipo de producción de PU avanzado, un equipo de prueba profesional y un sistema de gestión de calidad perfecto. Tenemos 12 años de experiencia en cooperación con CAT, FIAT, TVH, STIGA y otras empresas famosas. Les brindamos un servicio de un solo paso desde I D hasta producción para satisfacer sus necesidades de personalización.

2. ¿Cuáles son las ventajas de elegir Finehope?

- 1) Garantía de calidad del producto, garantía de entrega, buen servicio postventa.
- 2) Rentabilidad, eficiencia de desarrollo rápido, operación profesional con integridad.
- 3) Finehope realizará todos los análisis de prueba y luego elaborará estándares de prueba para reducir la disputa de estándares de calidad entre clientes y fabricantes.
- 4) Modo de gestión de producción ajustada.
- 5) Ayudar a los clientes a desarrollar y diseñar nuevos productos.
- 6) Tiene una rica experiencia en el diseño y procesamiento de productos de PU.
- 7) Finehope es una empresa de alta tecnología en China con tecnología de patentes de invención nacional e internacional e intelectual propiedad.

3. ¿Cuáles son las diferencias entre Finehope y sus pares nacionales?

- 1) Garantía de calidad: planificación avanzada de la calidad (APQP).
- 2) Finehope tiene una gran experiencia en el servicio a grandes empresas internacionales.

- 3) Tiene un equipo de investigación científica profesional de material de poliuretano.
- 4) Tiene capacidad independiente de diseño, fabricación e innovación de equipos de producción y moldes.
- 5) Tiene un equipo de ingenieros que es responsable del sistema de garantía de calidad y control de calidad.

4. ¿Cuáles son las diferencias entre Finehope y sus pares europeos y estadounidenses?

- 1) Tiene una cadena de suministro de apoyo perfecta y madura.
- 2) Menores costos de molde.
- 3) Alta eficiencia de desarrollo y capacidad de diseño y tiempo de proceso corto.
- 4) Ventaja de costos y buena actitud de servicio.

5. ¿Cuáles son las aplicaciones de los productos de PU?

Coche, maquinaria de ingeniería, equipos deportivos de fitness, maquinaria médica y artículos domésticos diarios, etc.



About us







Our Certification





Alibaba Verified Supplier Certificate

Since 2007, Finehope has continuously passed TUV certification and has become an Alibaba Verified Supplier. Verified Supplier is a high-quality supplier verified by the authoritative strength of Alibaba platform. Through online and offline on-site audits, the merchants' corporate qualifications, product qualifications, corporate capabilities, and other comprehensive strengths are reviewed and verification.



Integration of Informationization and Industrialization Management System Certificate

The certificate is assessed by the Xiamen Municipal Government and issued by the Shanghai Academy of Quality Management Science. This certificate reflects the level of Finehope's in-depth integration of informatization and industrialization. Finehope will continue to take a new path of industrialization; use information technology as the support to transform and upgrade traditional kinetic energy, cultivate new kinetic energy, and pursue a sustainable development model.



Xiamen Growth-oriented Micro, Small & Medium Enterprises

Finehope has been rated as "Xiamen Growth-oriented Micro, Small & Medium Enterprises" since 2019. It is the scoring result of the Xiamen Municipal Government based on Finehope's various comprehensive indicators, growth models, brand strength in the industry, and good corporate reputation, then issue this certificate. It is a proof that Finehope stands out among thousands of small and medium-sized enterprises in the city.



Work Safety Standardization Certificate

Manufacturing safety is important to prevent or lessen the risk of workplace injury, illness, and death.

Finehope General Manager Tiger Side: "Only those manufacturing facilities which continue to emphasize safety as a top-level issue will remain highly productive and competitive in today's marketplace."

Finehope must be proactive about employee safety. Without a focus on safety, can place their employees at risk, cause fire and face expensive property damage and affect delivery.



Xiamen Science And Technology Little Giant Leading Enterprise

Since 2019, Finehope has been selected as the leading company of Xiamen Science and Technology Little Giant. This certificate was jointly issued by five departments of the Xiamen Municipal Government. The selection criteria focus on strategic emerging industries such as new generation information technology, high-end equipment, new materials, new energy, biology and new medicine, energy saving and environmental protection, and marine high-tech. Winning this honor shows that Finehope is at the forefront of the industry in new information technology and new materials.



Fujian Province Pollution Discharge Permit

Pollution discharge permits are the "identity cards" of all entities involved in the discharge of pollutants and are issued by the Xiamen Municipal Environmental Protection Bureau. General Secretary Xi Jinping emphasized that "the ecological environment should be protected like the eyes, and the ecological environment should be treated like life." Premier Li Keqiang said: "Environmental pollution is a hazard to the people's livelihood and the pain of the people's hearts. It must be dealt with an iron fist." The Chinese government's determination to improve the environmental quality of the atmosphere, water bodies, and soil cannot be ignored. Pollution permits are an important factor that must be considered in international procurement. Otherwise, the factory has hidden dangers and will be ordered to stop production, which will affect the delivery date. It can be seen that Finehope is a manufacturer with long-term cooperation and stable delivery.



Xiamen Specialized, Refining, Differentiate, Innovative SMEs

Finehope has been rated as "Xiamen Specialized, Refining, Differentiate, Innovative SMEs" since 2020. "Specialized, Refining, Differentiate, Innovative" refers to SMEs with outstanding main business, strong professional capabilities, strong R&D and innovation capabilities, and development potential. Mainly concentrated in the new generation of information technology, high-end equipment manufacturing, new energy, new materials, biomedicine and other mid-to-high-end industries. Leading in the same industry in terms of market, quality, efficiency or development, with advanced and exemplary.

Through this certificate, the government emphasizes and recognizes finehope's "specialization, special innovation" is to encourage innovation and achieve specialization, reform, and specialization. Finehope should continue to take "specialization, special innovation" as the direction, focus on their main business, practice hard work, strengthening innovation, and build the company into a "single champion" or "supporting expert" with unique skills.



FDA certification

Food and Drug Administration (FDA) established in 1906 is a government agency under the passage of the Federal Food and Drugs Act. The FDA Certification is mandatory for placing the products in the USA. This major responsibility of FDA is protecting and managing public health and related authorities by assuring the safety and security of human and biologically generated product. The FDA regulates products including biological products, medical services, cosmetics, prescription drugs and non-prescription drugs, veterinary drugs, tobacco and other radiation emitting products. Finehope has passed FDA certification every year since 2018. FDA approval means that the products produced by Finehope have obtained foreign government certificates (CFG) and can enter the global market smoothly.

Quality Assurance



UNIVERSAL TESTING MACHINE(UTM)



Tensile Test



Tear Resistance Test



Compressive Strength



Indentation Force Deflection



INSPECTION STANDARD

MATERIAL PERFORMANCE TEST REPORT

Finehope
Test Report No. 00201457201 Date: 20140723 Page 1/4
 Customer: CUSTOMER SERVICE DEPARTMENT

The following samples were submitted and identified by/on behalf of the client as:

Sample Description: UHMW and MHD (underdevelopment)
 Material No.: 1
 Other info.: 1
 Sample Processing Date: 20140724
 Working Process: 20140723

Test Method

- 001 ASTM D2014-2011 Test of Density, Test Agency
- 002 ASTM D2014-2011 Test of Density, Test Agency
- 003 ASTM D2014-2011 Test of Density, Test Agency
- 004 ASTM D2014-2011 Test of Density, Test Agency
- 005 ASTM D2014-2011 Test of Density, Test Agency
- 006 ASTM D2014-2011 Test of Density, Test Agency
- 007 ASTM D2014-2011 Test of Density, Test Agency
- 008 ASTM D2014-2011 Test of Density, Test Agency
- 009 ASTM D2014-2011 Test of Density, Test Agency
- 010 ASTM D2014-2011 Test of Density, Test Agency
- 011 ASTM D2014-2011 Test of Density, Test Agency
- 012 ASTM D2014-2011 Test of Density, Test Agency
- 013 ASTM D2014-2011 Test of Density, Test Agency
- 014 ASTM D2014-2011 Test of Density, Test Agency
- 015 ASTM D2014-2011 Test of Density, Test Agency
- 016 ASTM D2014-2011 Test of Density, Test Agency
- 017 ASTM D2014-2011 Test of Density, Test Agency
- 018 ASTM D2014-2011 Test of Density, Test Agency
- 019 ASTM D2014-2011 Test of Density, Test Agency
- 020 ASTM D2014-2011 Test of Density, Test Agency
- 021 ASTM D2014-2011 Test of Density, Test Agency
- 022 ASTM D2014-2011 Test of Density, Test Agency
- 023 ASTM D2014-2011 Test of Density, Test Agency
- 024 ASTM D2014-2011 Test of Density, Test Agency
- 025 ASTM D2014-2011 Test of Density, Test Agency
- 026 ASTM D2014-2011 Test of Density, Test Agency
- 027 ASTM D2014-2011 Test of Density, Test Agency
- 028 ASTM D2014-2011 Test of Density, Test Agency
- 029 ASTM D2014-2011 Test of Density, Test Agency
- 030 ASTM D2014-2011 Test of Density, Test Agency
- 031 ASTM D2014-2011 Test of Density, Test Agency
- 032 ASTM D2014-2011 Test of Density, Test Agency
- 033 ASTM D2014-2011 Test of Density, Test Agency
- 034 ASTM D2014-2011 Test of Density, Test Agency
- 035 ASTM D2014-2011 Test of Density, Test Agency
- 036 ASTM D2014-2011 Test of Density, Test Agency
- 037 ASTM D2014-2011 Test of Density, Test Agency
- 038 ASTM D2014-2011 Test of Density, Test Agency
- 039 ASTM D2014-2011 Test of Density, Test Agency
- 040 ASTM D2014-2011 Test of Density, Test Agency
- 041 ASTM D2014-2011 Test of Density, Test Agency
- 042 ASTM D2014-2011 Test of Density, Test Agency
- 043 ASTM D2014-2011 Test of Density, Test Agency
- 044 ASTM D2014-2011 Test of Density, Test Agency
- 045 ASTM D2014-2011 Test of Density, Test Agency
- 046 ASTM D2014-2011 Test of Density, Test Agency
- 047 ASTM D2014-2011 Test of Density, Test Agency
- 048 ASTM D2014-2011 Test of Density, Test Agency
- 049 ASTM D2014-2011 Test of Density, Test Agency
- 050 ASTM D2014-2011 Test of Density, Test Agency
- 051 ASTM D2014-2011 Test of Density, Test Agency
- 052 ASTM D2014-2011 Test of Density, Test Agency
- 053 ASTM D2014-2011 Test of Density, Test Agency
- 054 ASTM D2014-2011 Test of Density, Test Agency
- 055 ASTM D2014-2011 Test of Density, Test Agency
- 056 ASTM D2014-2011 Test of Density, Test Agency
- 057 ASTM D2014-2011 Test of Density, Test Agency
- 058 ASTM D2014-2011 Test of Density, Test Agency
- 059 ASTM D2014-2011 Test of Density, Test Agency
- 060 ASTM D2014-2011 Test of Density, Test Agency
- 061 ASTM D2014-2011 Test of Density, Test Agency
- 062 ASTM D2014-2011 Test of Density, Test Agency
- 063 ASTM D2014-2011 Test of Density, Test Agency
- 064 ASTM D2014-2011 Test of Density, Test Agency
- 065 ASTM D2014-2011 Test of Density, Test Agency
- 066 ASTM D2014-2011 Test of Density, Test Agency
- 067 ASTM D2014-2011 Test of Density, Test Agency
- 068 ASTM D2014-2011 Test of Density, Test Agency
- 069 ASTM D2014-2011 Test of Density, Test Agency
- 070 ASTM D2014-2011 Test of Density, Test Agency
- 071 ASTM D2014-2011 Test of Density, Test Agency
- 072 ASTM D2014-2011 Test of Density, Test Agency
- 073 ASTM D2014-2011 Test of Density, Test Agency
- 074 ASTM D2014-2011 Test of Density, Test Agency
- 075 ASTM D2014-2011 Test of Density, Test Agency
- 076 ASTM D2014-2011 Test of Density, Test Agency
- 077 ASTM D2014-2011 Test of Density, Test Agency
- 078 ASTM D2014-2011 Test of Density, Test Agency
- 079 ASTM D2014-2011 Test of Density, Test Agency
- 080 ASTM D2014-2011 Test of Density, Test Agency
- 081 ASTM D2014-2011 Test of Density, Test Agency
- 082 ASTM D2014-2011 Test of Density, Test Agency
- 083 ASTM D2014-2011 Test of Density, Test Agency
- 084 ASTM D2014-2011 Test of Density, Test Agency
- 085 ASTM D2014-2011 Test of Density, Test Agency
- 086 ASTM D2014-2011 Test of Density, Test Agency
- 087 ASTM D2014-2011 Test of Density, Test Agency
- 088 ASTM D2014-2011 Test of Density, Test Agency
- 089 ASTM D2014-2011 Test of Density, Test Agency
- 090 ASTM D2014-2011 Test of Density, Test Agency
- 091 ASTM D2014-2011 Test of Density, Test Agency
- 092 ASTM D2014-2011 Test of Density, Test Agency
- 093 ASTM D2014-2011 Test of Density, Test Agency
- 094 ASTM D2014-2011 Test of Density, Test Agency
- 095 ASTM D2014-2011 Test of Density, Test Agency
- 096 ASTM D2014-2011 Test of Density, Test Agency
- 097 ASTM D2014-2011 Test of Density, Test Agency
- 098 ASTM D2014-2011 Test of Density, Test Agency
- 099 ASTM D2014-2011 Test of Density, Test Agency
- 100 ASTM D2014-2011 Test of Density, Test Agency

Finehope
Test Report No. 00201457201 Date: 20140723 Page 2/4
 Customer: CUSTOMER SERVICE DEPARTMENT

Test Result

No.	Test Item	Unit	Test Standard	Customer Requirement	Customer Sample (unit)	Customer Sample (unit)	
				1	2	Average	
1	Thickness	mm	ASTM D2014-2011	1.5	1.5	1.5	1.5
2	Thickness	mm	ASTM D2014-2011	1.5	1.5	1.5	1.5
3	Specific Gravity	g/cm ³	ASTM D2014-2011	0.95	0.95	0.95	0.95
4	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
5	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
6	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
7	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
8	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
9	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
10	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
11	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
12	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
13	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
14	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
15	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
16	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
17	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
18	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
19	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
20	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
21	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
22	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
23	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
24	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
25	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
26	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
27	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
28	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
29	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
30	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
31	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
32	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
33	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
34	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
35	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
36	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
37	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
38	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
39	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
40	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
41	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
42	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
43	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
44	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
45	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
46	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
47	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
48	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
49	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5
50	Strength	MPa	ASTM D2014-2011	1.5	1.5	1.5	1.5

Notes:

- In order to make the strength of two child seats can be compared, see the test specimen in the same direction (along the front and back seat) in our test to do the tensile strength test comparison.
- For the specific grade value in the above test result, it is the value of specimen with the same size and the actual value of the whole sample.

Finehope
Test Report No. 00201457201 Date: 20140723 Page 3/4
 Customer: CUSTOMER SERVICE DEPARTMENT

Sketch Picture

child seat
 Specimen for Tensile Test

child seat
 Specimen for Tensile Test

This picture is only used with the Serial Report from Finehope.

Customer	
Location	New Zealand
Customer Code	G1019
Risk Assessment	
New:	Site <input type="checkbox"/> Technology <input type="checkbox"/> Process <input type="checkbox"/>
Other Risks	<input type="checkbox"/>

Project	
Finehope Contact	Wendy Yang
Part No.	
Part Name	G1019Y04
Change Level/Date	
User Plant(s)	Finehope

Core Team Members	Company/Title	Phone/Fax/E-Mail
Tiger Xu	G.M.	
Yibin Lim	Vice G.M.	
Cindy Wu	Sales Manager	cindy@finehope.com
Liangquan Wan	Project Manager	
Wendy Yang	Sales	wendy@finehope.com

Build Level	Material Required Date	Quantity	No. Concurrent	
			SRs	Majors
Product Design and Develop	21-Jun-21	10		
Product and Process Validat	25-Jun-21	15		

APQP Deliverable	Finehope APQP Reference Only	G Y R	Project Need Date	Supplier Timing Date	Actual Closure Date	Supplier Lead Resp Inits	Finehope Acceptance Complete	Remarks or Assistance Required
1. Project Timeline (Synchronized w/Production Time Plan)	2030	G	20-Jun-21	21-Jun-21	21-Jun-21	22-Jun-21	23-Jun-21	/
2. Customer Inputs / Requirements	2030	G	23-Jun-21	24-Jun-21	24-Jun-21	25-Jun-21	26-Jun-21	/
3. Warranty & Quality Mitigation Plan	2030	G	24-Jun-21	25-Jun-21	25-Jun-21	26-Jun-21	27-Jun-21	/
4. Customer Specific Requirements	2030	G	25-Jun-21	26-Jun-21	26-Jun-21	27-Jun-21	28-Jun-21	/
5. Design FMEA	2080	G	26-Jun-21	27-Jun-21	27-Jun-21	28-Jun-21	29-Jun-21	/
6. Preliminary Bill of Materials (BOM)	2030	G	27-Jun-21	28-Jun-21	28-Jun-21	29-Jun-21	30-Jun-21	/
7. Prototype Control Plans	2110	G	28-Jun-21	29-Jun-21	29-Jun-21	30-Jun-21	1-Jul-21	/
8. Prototype Builds	2110	G	29-Jun-21	30-Jun-21	30-Jun-21	1-Jul-21	2-Jul-21	/
9. Design Verification Plan & Report (DVP&R)	2120	G	30-Jun-21	1-Jul-21	1-Jul-21	2-Jul-21	3-Jul-21	/
10. Design / Process Review	2130	G	1-Jul-21	2-Jul-21	2-Jul-21	3-Jul-21	4-Jul-21	/
11. Team Feasibility Commitment	2130	G	2-Jul-21	3-Jul-21	3-Jul-21	4-Jul-21	5-Jul-21	/
12. APQP Status Sub-Supplier	2130	G	3-Jul-21	4-Jul-21	4-Jul-21	5-Jul-21	6-Jul-21	/
13. Production Drawing & Specifications	2220	G	4-Jul-21	5-Jul-21	5-Jul-21	6-Jul-21	7-Jul-21	/
14. Subcontractor Purchase Orders (Customer Tooling)	2220	G	5-Jul-21	6-Jul-21	6-Jul-21	7-Jul-21	8-Jul-21	/
15. Facilities, Equipment, Tools and Gages	2260	G	6-Jul-21	7-Jul-21	7-Jul-21	8-Jul-21	9-Jul-21	/
AIAG APQP Phase 3 - Process Design and Development								
16. Product/Process and Quality System Review	3030	G	9-Jul-21	10-Jul-21	10-Jul-21	10-Jul-21	11-Jul-21	/
17. Manufacturing Process Flow Chart	3040	G	11-Jul-21	12-Jul-21	12-Jul-21	12-Jul-21	13-Jul-21	/
18. Process FMEA	3100	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	/
19. Pre-Launch Control Plan	3110	G	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-Jul-21	/
20. Process Work Instructions	3120	G	17-Jul-21	18-Jul-21	18-Jul-21	18-Jul-21	19-Jul-21	/
21. Measurement Systems Evaluation	3130	G	19-Jul-21	20-Jul-21	20-Jul-21	20-Jul-21	21-Jul-21	/
22. Packaging Specifications & Approvals	3160	G	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-Jul-21	/
23. Manufacturing Team Training	3170	G	23-Jul-21	24-Jul-21	24-Jul-21	24-Jul-21	25-Jul-21	/
AIAG APQP Phase 4 - Product and Process Validation								
24. Subcontractor PPAP Approval	4005	G	9-Jul-21	10-Jul-21	10-Jul-21	10-Jul-21	11-Jul-21	/
25. Production Control Plan	4008	G	11-Jul-21	12-Jul-21	12-Jul-21	12-Jul-21	13-Jul-21	/
26. Production Readiness Review (PRR)	4009	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	/
27. Production Trial Run (PTR)	4010	G	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-Jul-21	/
28. Process Capability Studies	4030	G	17-Jul-21	18-Jul-21	18-Jul-21	18-Jul-21	19-Jul-21	/
29. Production Validation Plan & Report (PV&R)	4090	G	19-Jul-21	20-Jul-21	20-Jul-21	20-Jul-21	21-Jul-21	/
30. Production Part Approval (PPAP)	4110	G	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-Jul-21	/
AIAG APQP Phase 5 - Feedback, Assessment and Corrective Action								
31. Initial Production Shipment	5005	G	20-Jul-21	30-Jul-21	30-Jul-21	30-Jul-21	31-Jul-21	/
32. Production Ramp-up Plan	5005	G	31-Jul-21	2-Aug-21	2-Aug-21	2-Aug-21	3-Aug-21	/
33. Full Production Date	5005	G	5-Aug-21	7-Aug-21	7-Aug-21	7-Aug-21	8-Aug-21	/
34. Conduct Lessons Learned	5005	G	8-Aug-21	10-Aug-21	10-Aug-21	10-Aug-21	11-Aug-21	/

Design Failure Mode and Effects Analysis (Design FMEA)

FMEA No.:
DFMEA-001

Page: page 1, totally 3 pages
Made: Xiaodong Qiu

Product Name: Injection moulding

Procedure responsible dept: Production Dept

Model year/vehicle types: CRV

Soybean Milk Maker

Important date: Nov.10th,2015

FMEA Date: Nov.10th,2015

People participated: Develop dept:GaoLin Wei

Sales:Haiyan Wu

PC:Jiannan Yan

Technology Dept:Jianyu Zhou

Purchaser:Yuanyuan Gou

Production dept:Shuwen Dong

QC:Bingxiang Zheng

procedure function requirements	Potential failure mode	Potential effects analysis	severity (S)	grade	potential causes/mechanisms of failure	frequency (O)	Current prevention process control	Current detection process control	detection (D)	RPN	recommended measures	Responsibility and target completion date	action results				
													severity (S)	frequency (O)	difficult to check (D)	RPN	
scyphus	size changes of handle	handle cover fall off	6	A	PP size change	6	By adjusting the product of the injection molding process, and measure or test the clasp of product size	measure and test product size	3	108	Add the number of button bit in handle design, in order to keep the connection strength	Xiaodong Qiu 2015/08/25	By adjusting the product of the injection molding process, and measure or test product size	6	1	1	6
scyphus	warpage of scyphus handle	Poor appearance break	4	C	high handle wall	6	Add the stiffener to handle wall to prevent deformation	measure and test product size	2	48	if this problem appears, make improvement by Adding the stiffener	Xiaodong Qiu 2015/09/30	Add the stiffener to handle wall to prevent deformation	4	2	1	8
scyphus	Deformation of cup-mouth	Micro switch without power	8	A	PP material deformation, Resulting in a perpendicular direction to connect the cup and handle inward deformation, So that both sides of the 球, the micro switch column opposite sink., and	3	Adjust the injection molding process, to prevent extrusion	measure and test cup-mouth size	3	72	in the cup packing control the direction of the lateral dimension of no force, stipulate the way of packing	Xiaodong Qiu 2015/09/10	stipulate the cup use egg cell methods to put the packing which do not squeeze each other	8	1	3	24

H-R-P-001-1

Process Failure Mode and Effects Analysis (PFMEA)

潜在失效模式和后果分析

FMEA No.FMEA20150325-01

Page 3

Maint:Wenhong-Huang

FMEA Date (Original):2015.03.25

Item:Welding Improvement

Process Responsibilities: Production welding group

Model year/project

Key Dates

Item 项目	Potential failure mode 潜在失效模式	Potential consequences of failure modes 失效的后果/潜在失效模式	Severity 严重度	Grade 等级	Potential causes of failure 失效的潜在原因	Occurrence degree 发生度	Current process control and prevention 现行过程控制/预防	Current process control detection 现行过程控制/检测	Detection rate 检测率	RPN	Suggest measures 建议措施	Responsibility and target completion date 负责人及目标完成日期	Measure results/测量结果			
													Measures and effective date 措施及有效日期	Severity 严重度	Incidence rate 发生率	Detection degree 可检测度
Clamping is not in place 夹具不在位	SizeNG 尺寸NG		6	B	● Staff negligence 人员疏忽 ● Failure for bad 夹具不到位	4	● Make the operation standard book 制定作业标准书 ● Make maintenance standards, regular maintenance 制定保养标准,定期保养,维护	● Visual inspection 目视检测 ● Finished 100% full inspection 完成100%全检	6	144	● Pre-service training of staff 岗前培训 ● Regular maintenance 工器具定期维护		6	3	4	72
Clamping (Clamping required is in place, no missing or wrong loaded) 夹具不在位,无漏装/错装	Welding error, leak, welding deviation, affect the assembly or use function 焊接错误,漏焊,焊接偏差,影响装配或使用功能		8	A	● Staff negligence 人员疏忽 ● Failure for bad 夹具不到位 ● Failure inaccurate 夹具定位不准确	4	● Make the operation standard book 制定作业标准书 ● Make maintenance standards, regular maintenance 制定保养标准,定期保养,维护 ● Regular checking of fixture 夹具定期点检	Visual inspection 目视检测	6	192	● Pre-service training of staff 岗前培训 ● Regular maintenance 工器具定期维护 ● Make inspection checklist for fixture 制定夹具点检表		8	3	4	96
Attachments missing 附件缺失	Affect product strength or influence the assembly 影响产品强度或影响装配		8	A	Staff negligence 作业人员疏忽	3	Make the operation standard book 制定作业标准书	Visual inspection 目视检测	4	96	Final inspection personnel do 100% full inspection for each bead with man 每粒人工100%全检,确认		8	2	2	32
Attachment error 附件错误	Influence assembly 影响装配		7	A	No mistake proofing fixture 无防错夹具	3	Make the operation standard book 制定作业标准书	Visual inspection 目视检测	6	126	● Increase the mistake proofing devices 增加防错装置 ● Inspection for final inspection tools 对终检工具点检		7	2	4	56
False welding 假焊	Lack of strength, affect the use of function 强度不足,影响使用功能		9	A	Current, voltage, welding angle, speed setting is not reasonable 电流,电压,焊接角度,速度设置不合理	4	● Welding process guidance 制定焊接工艺指导书 ● Condition confirmation check 加工条件确认书 ● Confirm the failure test on a regular basis 定期确认失效试验	Destructive testing 破坏性试验	8	288	After the procedure is set up to confirm the processing conditions, the execution and marking of the failure test is performed. 工序设置完成后确认加工条件,确认		9	3	4	108

Production Device

KRAUSS MAFFEI

Finehope has successively introduced many of the world's most advanced German KraussMaffei high-pressure injection machines since 2010.



Reaction Injection Molding (RIM) High Pressure Machine KRAUSS MAFFEI Made in Germany!



Self-invented fully automatic production line

Finehope has independently developed a number of fully automatic P-U injection production lines since 2010. These production lines reduce production costs and meet customer delivery requirements.



Welding Robots



Since 2016, Finehope has continued to purchase welding robots and automatic fixture turntables for welding metal parts. The independent processing of accessories saves the waiting time and procurement cost of outsourcing processing.

CNC Machine

Finehope has continued to purchase CNC equipment since 2016. CNC (Computer Numerically Controlled) machining is a manufacturing process in which pre-programmed computer software dictates the movement of factory tools and machinery. Using this type of machine versus manual machining can result in improved accuracy, increased production speeds, enhanced safety, increased efficiency and most importantly, help customers save costs and improve product quality.



Mould Release Agent Painting Robot



Since 2019, Finehope has purchased robots for spraying water-based release agents to improve the working environment, improve spraying quality and material utilization, and reduce labor costs.

3D printer

Finehope started to purchase 3D printers in 2015. 3D printing can realize rapid proofing of new product prototypes and templates for resin molds, and can also be used for faster and cheaper small batch production.



Social Responsibility

- **Audited by Sedex**

(Supplier business ethics information exchange)

Labor standard · health and safety · Environmental protection · Business ethics practice

- **Public-spirited**



Voluntary tree planting after Super Typhoon Meranti in 2016

A VALUE-BASED COMPANY

CUSTOMER FIRST

TEAMWORK

EMBRACE CHANGES

PASSION

INTEGRITY

COMMITMENT

Los productos de espuma de poliuretano necesitan, bienvenidos, contáctenos.

Amanda



Finehope (Xiamen) New Material Technology Co., Ltd.
No. 466 Jiutianhu Road, Xingbei Industry Area, Jimei District, Xiamen, China
Post code:361022
Email:Amada@finehope.com
Tel: 86-592-66617667
Mob:86-18050099072