



Hot Sale Child Printed Foam Change Mat Pad for Child

Category: PU pad, STUT

Material: polyurethane PU - Foam integral leather

Density: 200-250 kg / m³

Form: According to customer needs for product design and custom mold

Color: black, gray and other colors can be customized upon request.

Packaging: Standard cardboard

Payment terms: 30% deposit, payment and delivery.

MOQ: 1,000 pcs.

Shipping position: China • Fujian • Xiamen

Meet certification: Rosh, REACH, EN71-3, Phthalic 6P

Other: Chinese OEM and processing factories, specializing in the production of PU products, including accessories (iron, wood, plastic, etc.).



Finehope has achieved ISO 9001 certificate uninterrupted since 2003.

IATF16949 certification:

Finehope has exceeded the certification of IATF16949 automotive quality management systems in 2021. More than 50 documents guarantee the progress of the new product development, quality, delivery times and the cost of test products and mass production.

From cooperation between Finehope and Caterpillar in 2007, Finehope used the automotive quality management system for the new introduction of the product, using the five instruments of SPC, MSA, FMEA, APQP and PPAP, which have won praise by Caterpillar leaders and Long-established -Term the partnership until now.



Finehope has achieved ISO 9001 certificate uninterrupted since 2003.

IATF16949 certification:

Finehope has exceeded the certification of IATF16949 automotive quality management systems in 2021. More than 50 documents guarantee the progress of the new product development, quality, delivery times and the cost of test products and mass production.

From cooperation between Finehope and Caterpillar in 2007, Finehope used the automotive quality management system for the new introduction of the product, using the five instruments of SPC, MSA, FMEA, APQP and PPAP, which have won praise by Caterpillar leaders and Long-established -Term the partnership until now.

>>> Our Advandages



PU raw material research and development skills

Since 2002 Finehope has been engaged in the design and production of printed foam products in PU. Independent research and development of formula materials and stable production capacity are the basis for quality assurance.


Finehope can adjust the product formula at any time based on the customized customer products of customers, such as requirements for hardness, elasticity, support, feeling, density, color and other physical and chemical properties, And they can make the requirements of formulation in accordance with the laws and regulations of various countries. Of course, a good formula must also consider the best cost performance. For new projects, the ability to develop PU formulations is a key condition to ensure the quality of product development, delivery time and cost.



Equipment for design automation and manufacturing capabilities

The Finehope ability to design and produce automation equipment is rare in the industry. By participating in the design of new PU injection mixing equipment and the automated transformation of the production line, to ensure that competition within the Chinese demographic dividend is reduced and labor costs continue to rise, manufacturing efficiency can be improved, labor and material costs can be reduced. In addition, the continuous design and manufacturing capabilities of key equipment such as fixtures, special equipment and automatic molds are also the reasons why Finehope is in a leadership position in all aspects.

Finehope's ability to continuously reduce costs and innovative products can help customers bring greater value. Therefore, it is a reliable long-term partner of many Fortune 500 companies and leading companies in the sector.



Scientific management capacity

Finehope emphasizes the importance of the Toyota production system and the corporate coaching model to optimize management efficiency. Continuous improvement The efficiency and quality of all employees, management and production personnel have been effectively and continuously improved, management and production costs have been continuously reduced, but more important than efficiency and costs is cultivation The growth of employees through continuous improvement, because this is the core of corporate sustainable development.

The refinement of Finehope reduces the problem for customers, because it reduces negligence on the human process system and the ability to continually accumulate the professional experience, which can guarantee that all new projects are completed as soon as possible.

Famous customer

Cooperation experience

<p>Engineering Vehicle</p> <p>BOYD CORPORATION TVH AIXAM</p> <p>Honeywell TIGA CAT</p>	<p>Medical Equipment</p> <p>Hill-Rom INVACARE MAQUET GETINGE GROUP</p> <p>DrPosture Ki Mobility</p>
<p>Baby Supplies</p> <p>Bumbo Nuby</p> <p>bugaboo chicco</p> <p>Hatch Baby GRACO</p>	<p>Fitness Equipment</p> <p>STAR TRAC BOWFLEX expect different.</p> <p>IB&G ergoDRIVEN NUVA BUILDING PRODUCTS</p> <p>Other</p> <p>PANDORA CubeFit Knoll UNFORGETTABLE MOMENTS</p>

Faq

1. Why choose Finehope?

Finehope is the most professional PU manufacturer in China, which has a professional research and development team, advanced, professional production equipment

Test equipment and perfect quality management system. We have 12-year cooperation experience with Cat, Fiat, TVH, Stiga and other famous

Businesses. We provide them with a R & D one-step service to production to satisfy their customization needs.

2. What are the advantages of choosing Finehope?

- 1) Product quality assurance, delivery guarantee, good after-sales service.
- 2) Economic efficiency, rapid development efficiency, professional operation with integrity.
- 3) Finehope will conduct all test analyzes and then process the test standards to reduce the quality standard dispute between Customers and producers.
- 4) Slender production methods.
- 5) Help customers develop and design new products.
- 6) It has a rich experience in the design and processing of PU products.
- 7) Finehope is a high-tech company in China with international invention and intellectual patent technology property.

3. What is the difference between Finehope and domestic peers?

- 1) Quality insurance: Advanced quality planning (APQP).
- 2) Finehope has a rich experience in serving large international companies.
- 3) has a professional scientific research team of polyurethane material.
- 4) has a design capacity, production and independent innovation of production equipment and molds.
- 5) has a team of engineer responsible for the quality assurance system and quality control.

4. What are the differences between the Finehope and European colleagues and u.s?

- 1) has a perfect and mature supply chain.
- 2) lower costs of the mold.
- 3) High efficiency of development and design capacity and short process time.
- 4) advantage of costs and good service attitude.

5. What are the applications of products PU?

Cars, engineering machines, sports fitness equipment, medical machines and daily household items and so on.



About us







Our Certification



Xiamen micro-oriented micro growth, small and medium-sized enterprises



Xiamen Specialized, Aging, Differentiation, Innovative SMEs



Xiamen Science and Technology Little Giant Leader Enterprise



Finehope was evaluated as "Xiamen oriented to micro growth, small and medium-sized enterprises" since 2019. It is the score of the Municipal Government of Xiamen based on the various complete indicators, growth models, brand growth models in the sector and good company reputation, then emit this certificate. It is a test that Finehope is distinguished between thousands of small and medium-sized businesses in the city.


Finehope has been evaluated as "Xiamen specialized, refining, differentiation, innovative SMEs" from 2020. "Specialized, refining, differential, innovative" refers to SMEs with exceptional main companies, strong professional skills, strong research and development and innovation skills and development potential. Concentrated mainly in the new generation of information technologies, production of high-end equipment, new energy, new materials, biomedicine and other medium-high industries. The government emphasizes and recognizes the "special specialization, special innovation" finehope encourage innovation and obtain specialization, reform and specialization.

Since 2019 Finehope has been selected as a leading company of Xiamen Science and Technology Little Giant. This certificate was jointly released by five Departments of the Municipal Government of Xiamen. Selection criteria focus on strategic emerging industries such as new generation information technology, high-end equipment, new materials, new materials, new energy, biology and new medicine, energy savings and the Environmental protection and marine high-tech. Winning this honor shows that Finehope is at the avant-garde of the sector in new information technologies and new materials.



Food and drug administration certification

Finehope has passed the certification of food and drug administration each year since then 2018. Approval of the food and drug administration means that the products produced by Finehope have obtained certificates of foreign government (CFG) and can enter the global market.



Integration of the certificate of the information and industrialization management system

The certificate is assessed by the municipal government of Xiamen and issued by the Shanghai Academy of Quality Management Management. This certificate reflects the level of in-depth integration of the Finehope of computerization and industrialization. Finehope will continue to take a new route



Certificate of working safety standardization

The safety of production is important to prevent or reduce the risk of injury in place of work, illness and death. Finehope General Manager Tiger Side: "Only those production plants that continue to emphasize security as a high level matter will remain highly productive and competitive in today's market".



Pollution discharge permit of the Fujian Province

The pollution discharge permits are the "identity cards" of all the entities involved in the exhaust of pollutants and are issued by the Xiamen Municipal Environmental Protection Bureau. The Secretary General XI Jinping stressed that "the ecological environment should be protected as the eyes and the ecological environment should be treated like life". Premier Li Keqiang said: "Environmental pollution is a danger to livelihood of people and pain of people's hearts.



The third-party certification - TUV

Since 2007, Finehope has continually exceeded TUV certification and has become a Alibaba verified provider.

The verified provider is a high quality supplier verified by the authoritative force of the Alibaba platform. Through online and offline audits, the company qualifications of merchants, product qualifications, company skills and other complete strengths are reviewed and verification.

Quality Assurance



UNIVERSAL TESTING MACHINE(UTM)



Tensile Test




Tear Resistance Test



Compressive Strength



Indentation Force Deflection



INSPECTION STANDARD

MATERIAL PERFORMANCE TEST REPORT

Finehope
Test Report No. 00201457201 Date: 20140723 Page 1/4
 Customer: CUSTOMER SERVICE DEPARTMENT

The following samples were submitted and identified by/on behalf of the client as:

Sample Description: UHMW and MHD (underdevelopment)
 Material No.: 1
 Other info.: 1
 Sample Processing Date: 20140724
 Working Process: 20140723

Test Method

- 001 ASTM D2034-2011 Test of Density, Test Agency
- 002 ASTM D2034-2011 Test of Density, Test Agency
- 003 ASTM D2034-2011 Test of Density, Test Agency
- 004 ASTM D2034-2011 Test of Density, Test Agency
- 005 ASTM D2034-2011 Test of Density, Test Agency
- 006 ASTM D2034-2011 Test of Density, Test Agency
- 007 ASTM D2034-2011 Test of Density, Test Agency
- 008 ASTM D2034-2011 Test of Density, Test Agency
- 009 ASTM D2034-2011 Test of Density, Test Agency
- 010 ASTM D2034-2011 Test of Density, Test Agency
- 011 ASTM D2034-2011 Test of Density, Test Agency
- 012 ASTM D2034-2011 Test of Density, Test Agency
- 013 ASTM D2034-2011 Test of Density, Test Agency
- 014 ASTM D2034-2011 Test of Density, Test Agency
- 015 ASTM D2034-2011 Test of Density, Test Agency
- 016 ASTM D2034-2011 Test of Density, Test Agency
- 017 ASTM D2034-2011 Test of Density, Test Agency
- 018 ASTM D2034-2011 Test of Density, Test Agency
- 019 ASTM D2034-2011 Test of Density, Test Agency
- 020 ASTM D2034-2011 Test of Density, Test Agency
- 021 ASTM D2034-2011 Test of Density, Test Agency
- 022 ASTM D2034-2011 Test of Density, Test Agency
- 023 ASTM D2034-2011 Test of Density, Test Agency
- 024 ASTM D2034-2011 Test of Density, Test Agency
- 025 ASTM D2034-2011 Test of Density, Test Agency
- 026 ASTM D2034-2011 Test of Density, Test Agency
- 027 ASTM D2034-2011 Test of Density, Test Agency
- 028 ASTM D2034-2011 Test of Density, Test Agency
- 029 ASTM D2034-2011 Test of Density, Test Agency
- 030 ASTM D2034-2011 Test of Density, Test Agency
- 031 ASTM D2034-2011 Test of Density, Test Agency
- 032 ASTM D2034-2011 Test of Density, Test Agency
- 033 ASTM D2034-2011 Test of Density, Test Agency
- 034 ASTM D2034-2011 Test of Density, Test Agency
- 035 ASTM D2034-2011 Test of Density, Test Agency
- 036 ASTM D2034-2011 Test of Density, Test Agency
- 037 ASTM D2034-2011 Test of Density, Test Agency
- 038 ASTM D2034-2011 Test of Density, Test Agency
- 039 ASTM D2034-2011 Test of Density, Test Agency
- 040 ASTM D2034-2011 Test of Density, Test Agency
- 041 ASTM D2034-2011 Test of Density, Test Agency
- 042 ASTM D2034-2011 Test of Density, Test Agency
- 043 ASTM D2034-2011 Test of Density, Test Agency
- 044 ASTM D2034-2011 Test of Density, Test Agency
- 045 ASTM D2034-2011 Test of Density, Test Agency
- 046 ASTM D2034-2011 Test of Density, Test Agency
- 047 ASTM D2034-2011 Test of Density, Test Agency
- 048 ASTM D2034-2011 Test of Density, Test Agency
- 049 ASTM D2034-2011 Test of Density, Test Agency
- 050 ASTM D2034-2011 Test of Density, Test Agency
- 051 ASTM D2034-2011 Test of Density, Test Agency
- 052 ASTM D2034-2011 Test of Density, Test Agency
- 053 ASTM D2034-2011 Test of Density, Test Agency
- 054 ASTM D2034-2011 Test of Density, Test Agency
- 055 ASTM D2034-2011 Test of Density, Test Agency
- 056 ASTM D2034-2011 Test of Density, Test Agency
- 057 ASTM D2034-2011 Test of Density, Test Agency
- 058 ASTM D2034-2011 Test of Density, Test Agency
- 059 ASTM D2034-2011 Test of Density, Test Agency
- 060 ASTM D2034-2011 Test of Density, Test Agency
- 061 ASTM D2034-2011 Test of Density, Test Agency
- 062 ASTM D2034-2011 Test of Density, Test Agency
- 063 ASTM D2034-2011 Test of Density, Test Agency
- 064 ASTM D2034-2011 Test of Density, Test Agency
- 065 ASTM D2034-2011 Test of Density, Test Agency
- 066 ASTM D2034-2011 Test of Density, Test Agency
- 067 ASTM D2034-2011 Test of Density, Test Agency
- 068 ASTM D2034-2011 Test of Density, Test Agency
- 069 ASTM D2034-2011 Test of Density, Test Agency
- 070 ASTM D2034-2011 Test of Density, Test Agency
- 071 ASTM D2034-2011 Test of Density, Test Agency
- 072 ASTM D2034-2011 Test of Density, Test Agency
- 073 ASTM D2034-2011 Test of Density, Test Agency
- 074 ASTM D2034-2011 Test of Density, Test Agency
- 075 ASTM D2034-2011 Test of Density, Test Agency
- 076 ASTM D2034-2011 Test of Density, Test Agency
- 077 ASTM D2034-2011 Test of Density, Test Agency
- 078 ASTM D2034-2011 Test of Density, Test Agency
- 079 ASTM D2034-2011 Test of Density, Test Agency
- 080 ASTM D2034-2011 Test of Density, Test Agency
- 081 ASTM D2034-2011 Test of Density, Test Agency
- 082 ASTM D2034-2011 Test of Density, Test Agency
- 083 ASTM D2034-2011 Test of Density, Test Agency
- 084 ASTM D2034-2011 Test of Density, Test Agency
- 085 ASTM D2034-2011 Test of Density, Test Agency
- 086 ASTM D2034-2011 Test of Density, Test Agency
- 087 ASTM D2034-2011 Test of Density, Test Agency
- 088 ASTM D2034-2011 Test of Density, Test Agency
- 089 ASTM D2034-2011 Test of Density, Test Agency
- 090 ASTM D2034-2011 Test of Density, Test Agency
- 091 ASTM D2034-2011 Test of Density, Test Agency
- 092 ASTM D2034-2011 Test of Density, Test Agency
- 093 ASTM D2034-2011 Test of Density, Test Agency
- 094 ASTM D2034-2011 Test of Density, Test Agency
- 095 ASTM D2034-2011 Test of Density, Test Agency
- 096 ASTM D2034-2011 Test of Density, Test Agency
- 097 ASTM D2034-2011 Test of Density, Test Agency
- 098 ASTM D2034-2011 Test of Density, Test Agency
- 099 ASTM D2034-2011 Test of Density, Test Agency
- 100 ASTM D2034-2011 Test of Density, Test Agency

Finehope
Test Report No. 00201457201 Date: 20140723 Page 2/4
 Customer: CUSTOMER SERVICE DEPARTMENT

Test Result

No.	Test Item	Unit	Test Standard	Customer Requirement	Customer Sample (pass)	Customer Sample (fail)
1	Thickness	mm	ASTM D2034	1.5	1.5	1.5
2	Hardness	HRB	ASTM D2034	80	80	80
3	Specific Gravity	g/cm ³	ASTM D2034	0.95	0.95	0.95
4	Tensile Strength	MPa	ASTM D2034	15	15	15
5	Elongation	%	ASTM D2034	100	100	100
6	Impact	J/m ²	ASTM D2034	10	10	10
7	Compression	MPa	ASTM D2034	10	10	10
8	Resilience	%	ASTM D2034	10	10	10

FIG. 1. In order to make the strength of two steel rods can be compared, set of the test specimen in the same thickness (about 5mm) and test area in one side to do the tensile strength test comparison.
 2. For the specific gravity value in the above test result, it is the value of specimen with skin on one side, and the actual value of the whole sample.

Finehope
Test Report No. 00201457201 Date: 20140723 Page 3/4
 Customer: CUSTOMER SERVICE DEPARTMENT

Sketch Picture

100 pictures in this report will be the same report from Finehope.

Customer	
Location	New Zealand
Customer Code	G1019
Risk Assessment	
New:	Site <input type="checkbox"/> Technology <input type="checkbox"/> Process <input type="checkbox"/>
Other Risks	<input type="checkbox"/>

Project	
Finehope Contact	Wendy Yang
Part No.	
Part Name	G1019Y04
Change Level/Date	
User Plant(s)	Finehope

Core Team Members	Company/Title	Phone/Fax/E-Mail
Tiger Xu	G.M.	
Yibin Lim	Vice G.M.	
Cindy Wu	Sales Manager	cindy@finehope.com
Liangquan Wan	Project Manager	
Wendy Yang	Sales	wendy@finehope.com

Build Level	Material Required Date	Quantity	No. Concurrent	
			SRCs	Majors
Product Design and Develop	21-Jun-21	10		
Product and Process Validat	25-Jun-21	15		

APQP Deliverable	Finehope APQP Reference Only	G Y R	Project Need Date	Supplier Timing Date	Actual Closure Date	Supplier Lead Resp Inits	Finehope Acceptance Complete	Remarks or Assistance Required
1. Project Timeline (Synchronized w/Production Time Plan)	2030	G	20-Jun-21	21-Jun-21	21-Jun-21	22-Jun-21	23-Jun-21	/
2. Customer Inputs / Requirements	2030	G	23-Jun-21	24-Jun-21	24-Jun-21	25-Jun-21	26-Jun-21	/
3. Warranty & Quality Mitigation Plan	2030	G	24-Jun-21	25-Jun-21	25-Jun-21	26-Jun-21	27-Jun-21	/
4. Customer Specific Requirements	2030	G	25-Jun-21	26-Jun-21	26-Jun-21	27-Jun-21	28-Jun-21	/
5. Design FMEA	2080	G	26-Jun-21	27-Jun-21	27-Jun-21	28-Jun-21	29-Jun-21	/
6. Preliminary Bill of Materials (BOM)	2030	G	27-Jun-21	28-Jun-21	28-Jun-21	29-Jun-21	30-Jun-21	/
7. Prototype Control Plans	2110	G	28-Jun-21	29-Jun-21	29-Jun-21	30-Jun-21	1-Jul-21	/
8. Prototype Builds	2110	G	29-Jun-21	30-Jun-21	30-Jun-21	1-Jul-21	2-Jul-21	/
9. Design Verification Plan & Report (DVP&R)	2120	G	30-Jun-21	1-Jul-21	1-Jul-21	2-Jul-21	3-Jul-21	/
10. Design / Process Review	2130	G	1-Jul-21	2-Jul-21	2-Jul-21	3-Jul-21	4-Jul-21	/
11. Team Feasibility Commitment	2130	G	2-Jul-21	3-Jul-21	3-Jul-21	4-Jul-21	5-Jul-21	/
12. APQP Status Sub-Supplier	2130	G	3-Jul-21	4-Jul-21	4-Jul-21	5-Jul-21	6-Jul-21	/
13. Production Drawing & Specifications	2220	G	4-Jul-21	5-Jul-21	5-Jul-21	6-Jul-21	7-Jul-21	/
14. Subcontractor Purchase Orders (Customer Tooling)	2220	G	5-Jul-21	6-Jul-21	6-Jul-21	7-Jul-21	8-Jul-21	/
15. Facilities, Equipment, Tools and Gages	2260	G	6-Jul-21	7-Jul-21	7-Jul-21	8-Jul-21	9-Jul-21	/
AIAG APQP Phase 3 - Process Design and Development								
16. Product/Process and Quality System Review	3030	G	9-Jul-21	10-Jul-21	10-Jul-21	10-Jul-21	11-Jul-21	/
17. Manufacturing Process Flow Chart	3040	G	11-Jul-21	12-Jul-21	12-Jul-21	12-Jul-21	13-Jul-21	/
18. Process FMEA	3100	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	/
19. Pre-Launch Control Plan	3110	G	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-Jul-21	/
20. Process Work Instructions	3120	G	17-Jul-21	18-Jul-21	18-Jul-21	18-Jul-21	19-Jul-21	/
21. Measurement Systems Evaluation	3130	G	19-Jul-21	20-Jul-21	20-Jul-21	20-Jul-21	21-Jul-21	/
22. Packaging Specifications & Approvals	3160	G	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-Jul-21	/
23. Manufacturing Team Training	3170	G	23-Jul-21	24-Jul-21	24-Jul-21	24-Jul-21	25-Jul-21	/
AIAG APQP Phase 4 - Product and Process Validation								
24. Subcontractor PPAP Approval	4005	G	9-Jul-21	10-Jul-21	10-Jul-21	10-Jul-21	11-Jul-21	/
25. Production Control Plan	4008	G	11-Jul-21	12-Jul-21	12-Jul-21	12-Jul-21	13-Jul-21	/
26. Production Readiness Review (PRR)	4009	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	/
27. Production Trial Run (PTR)	4010	G	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-Jul-21	/
28. Process Capability Studies	4030	G	17-Jul-21	18-Jul-21	18-Jul-21	18-Jul-21	19-Jul-21	/
29. Production Validation Plan & Report (PV&R)	4090	G	19-Jul-21	20-Jul-21	20-Jul-21	20-Jul-21	21-Jul-21	/
30. Production Part Approval (PPAP)	4110	G	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-Jul-21	/
AIAG APQP Phase 5 - Feedback, Assessment and Corrective Action								
31. Initial Production Shipment	5005	G	20-Jul-21	30-Jul-21	30-Jul-21	30-Jul-21	31-Jul-21	/
32. Production Ramp-up Plan	5005	G	31-Jul-21	2-Aug-21	2-Aug-21	2-Aug-21	3-Aug-21	/
33. Full Production Date	5005	G	5-Aug-21	7-Aug-21	7-Aug-21	7-Aug-21	8-Aug-21	/
34. Conduct Lessons Learned	5005	G	8-Aug-21	10-Aug-21	10-Aug-21	10-Aug-21	11-Aug-21	/

Design Failure Mode and Effects Analysis (Design FMEA)

FMEA No.:
DFMEA-001

Page: page 1, totally 3 pages
Made: Xiaodong Qiu

Product Name: Injection moulding

Procedure responsible dept: Production Dept

Model year/vehicle types: CRV

Soybean Milk Maker

Important date: Nov.10th.2015

FMEA Date: Nov.10th.2015

People participated: Develop dept:GaoLin Wei

Sales:Haiyan Wu

PC:Jiannan Yan

Technology Dept:Jianyu Zhou

Purchaser:Yuanyuan Gou

Production dept:Shuwen Dong

QC:Bingxiang Zheng

procedure function requirements	Potential failure mode	Potential effects analysis	severity (S)	grade	potential causes/mechanisms of failure	frequency (O)	Current prevention process control	Current detection process control	detection (D)	RPN	recommended measures	Responsibility and target completion date	action results				
													severity (S)	frequency (O)	difficult to check (D)	RPN	
scyphus	size changes of handle	handle cover fall off	6	A	PP size change	6	By adjusting the product of the injection molding process, and measure or test the clasp of product size	measure and test product size	3	108	Add the number of button bit in handle design, in order to keep the connection strength	Xiaodong Qiu 2015/08/25	By adjusting the product of the injection molding process, and measure or test product size	6	1	1	6
scyphus	warpage of scyphus handle	Poor appearance break	4	C	high handle wall	6	Add the stiffener to handle wall to prevent deformation	measure and test product size	2	48	if this problem appears, make improvement by Adding the stiffener	Xiaodong Qiu 2015/09/30	Add the stiffener to handle wall to prevent deformation	4	2	1	8
scyphus	Deformation of cup-mouth	Micro switch without power	8	A	PP material deformation, Resulting in a perpendicular direction to connect the cup and handle inward deformation, So that both sides of the 球, the micro switch column opposite sink., and	3	Adjust the injection molding process, to prevent extrusion	measure and test cup-mouth size	3	72	in the cup packing control the direction of the lateral dimension of no force, stipulate the way of packing	Xiaodong Qiu 2015/09/10	stipulate the cup use egg cell methods to put the packing which do not squeeze each other	8	1	3	24

H-R-P-001-1

Process Failure Mode and Effects Analysis (PFMEA)

潜在失效模式和后果分析

FMEA No.FMEA20150325-01

Page 3

Maint:Wenhong-Huang

FMEA Date (Original):2015.03.25

Item:Welding Improvement

Process Responsibilities: Production welding group

Model year/project

Key Dates

Item 项目	Potential failure mode 潜在失效模式	Potential consequences of failure modes 失效后果/潜在失效模式	Severity 严重度	Grade 等级	Potential causes of failure 失效的潜在原因	Occurrence degree 发生度	Current process control and prevention 现行过程控制/预防	Current process control detection 现行过程控制/检测	Detection rate 检测率	RPN	Suggest measures 建议措施	Responsibility and target completion date 负责人及目标完成日期	Measure results/测量结果			
													Measures and effective date 措施及有效日期	Severity 严重度	Incidence rate 发生率	Detection degree 可检测度
Request 项目	Clamping is not in place 夹具不在位	Welding error, leak, warping, welding deviation, affect the assembly or use function 焊接错误、漏焊、焊接变形、影响装配或使用功能	6	B	● Staff negligence 人员疏忽 ● Failure for bad 夹具定位不准	4	● Make the operation standard book 制定作业指导书 ● Make maintenance standards, regular maintenance 制定保养标准、定期保养、维护 ● Regular checking of fixture 夹具定期检查	● Visual inspection 目视检测 ● Finished 100% full inspection 完成100%全检	6	144	● Pre-service training of staff 岗前培训 ● Regular maintenance 定期维护 ● Regular maintenance 定期维护		6	3	4	72
Clamping (clamping required is in place, no missing or wrong loaded) 夹具不在位(夹具不在位, 无漏装或装错)	Clamping is not in place 夹具不在位	Welding error, leak, warping, welding deviation, affect the assembly or use function 焊接错误、漏焊、焊接变形、影响装配或使用功能	8	A	● Staff negligence 人员疏忽 ● Failure for bad 夹具定位不准 ● Failure inaccurate 夹具定位不准确	4	● Make the operation standard book 制定作业指导书 ● Make maintenance standards, regular maintenance 制定保养标准、定期保养、维护 ● Regular checking of fixture 夹具定期检查	Visual inspection 目视检测	6	192	● Pre-service training of staff 岗前培训 ● Regular maintenance 定期维护 ● Make inspection checklist for fixture 制定夹具检查清单		8	3	4	96
Attachments missing 附件缺失	Affect product strength or influence the assembly 影响产品强度或影响装配		8	A	Staff negligence 人员疏忽	3	Make the operation standard book 制定作业指导书	Visual inspection 目视检测	4	96	Final inspection personnel do 100% full inspection for each bead with man 每个工人100%全检, 双人		8	2	2	32
Attachment error 附件错误	Influence assembly 影响装配		7	A	No mistake proofing fixture 夹具防错	3	Make the operation standard book 制定作业指导书	Visual inspection 目视检测	6	126	● Increase the mistake proofing devices 增加防错装置 ● Inspection for final inspection tools 夹具最后检查		7	2	4	56
False welding 假焊	Lack of strength, affect the use of function 强度不足, 影响使用功能		9	A	Current, voltage, welding angle, speed setting is not reasonable 电流、电压、焊接角度、速度设置不合理	4	● Welding process guidance making 制定焊接工艺指导书 ● Condition confirmation check 加工条件确认 ● Confirm the failure test on a regular basis 定期确认失效试验	Destructive testing 破坏性试验	8	288	After the procedure is set up to confirm the processing conditions, the execution and marking of the failure test is performed. 工序设置加工条件确认后		9	3	4	108

Production Device

KRAUSS MAFFEI

Finehope has successively introduced many of the world's most advanced German KraussMaffei high-pressure injection machines since 2010.



Reaction Injection Molding (RIM) High Pressure Machine KRAUSS MAFFEI Made in Germany!



Self-invented fully automatic production line

Finehope has independently developed a number of fully automatic P-U injection production lines since 2010. These production lines reduce production costs and meet customer delivery requirements.



Welding Robots



Since 2016, Finehope has continued to purchase welding robots and automatic fixture turntables for welding metal parts. The independent processing of accessories saves the waiting time and procurement cost of outsourcing processing.

CNC Machine

Finehope has continued to purchase CNC equipment since 2016. CNC (Computer Numerically Controlled) machining is a manufacturing process in which pre-programmed computer software dictates the movement of factory tools and machinery. Using this type of machine versus manual machining can result in improved accuracy, increased production speeds, enhanced safety, increased efficiency and most importantly, help customers save costs and improve product quality.



Mould Release Agent Painting Robot



Since 2019, Finehope has purchased robots for spraying water-based release agents to improve the working environment, improve spraying quality and material utilization, and reduce labor costs.

3D printer

Finehope started to purchase 3D printers in 2015. 3D printing can realize rapid proofing of new product prototypes and templates for resin molds, and can also be used for faster and cheaper small batch production.



Social Responsibility

- **Audited by Sedex**

(Supplier business ethics information exchange)

Labor standard · health and safety · Environmental protection · Business ethics practice

- **Public-spirited**



Voluntary tree planting after Super Typhoon Meranti in 2016

A VALUE-BASED COMPANY

CUSTOMER FIRST

TEAMWORK

EMBRACE CHANGES

PASSION

INTEGRITY

COMMITMENT

Polyurade products of foam products, welcome contact us.

Amanda



Finehope (Xiamen) New Material Technology Co., Ltd.

No. 466 Jiutianhu Road, Xingbei Industry Area, Jimei District, Xiamen, China

Post code:361022

Email:Amada@finehope.com

Tel: 86-592-66617667

Mob:86-18050099072