

Feature:

Features of the product:

1. High strength
2. Durable
3. Comfortable
4. Easy to install
5. Low cost
6. Eco-friendly
7. Wide range of applications
8. Good performance
9. Long service life

Specification

The product is made of polyurethane (PU) with a density of 1.05 g/cm³. The thickness is 5 mm. The weight is 600 kg/m². The dimensions are 1200 mm x 600 mm. The product is suitable for use in various applications. The product is made of PU and is suitable for use in various applications.

Material	Polyurethane (PU)
Color	Black
Weight	180-200 kg/m ³
Dimensions	L * W * H (mm): 431 * 429 * 63
Thickness	5 mm
Strength	30% t/t
Temperature	70%
Price	1000
Lead time	1 week
RoHS	RoHS

Products applications

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS

Finehope



REACH SVHC **RoHS** SGS



Our company

Finehope 于2002年正式创立，拥有100多名员工，占地面积41 亩， 32. 约7000平方米的现代化生产基地， 拥有1000多平方米的展示厅， 为客户提供专业的售前售后服务。



Certifications




Quality control

Quality Management



Material Research and Develop



III. Equipments Improvement

Lean Production Lines



Moulds Workshop
模具车间

• PU Foaming Equipment



◆ Own the ability of independent improvement for the production equipments, and independent design and R & D ability of automatic moulds and jigs, lean automatic production lines.

FAQ

1. 如何 Finehope 设备?

Finehope 的 PU 设备广泛应用于 R & D 和 PU 生产。我们拥有 TVH 和 GGP 等 12 种设备，并具备 R & D 和 生产的能力。

2. Finehope 设备有哪些?

1. 设备
2. 设备
3. Finehope 设备
4. 设备
5. 设备
6. 设备 PU 设备
7. Finehope 设备

