

1. 项目概述
 2. 项目背景
 3. 项目目标
 4. 项目范围
 5. 项目组织
 6. 项目计划
 7. 项目执行
 8. 项目监控
 9. 项目收尾
 10. 项目总结
 11. 项目评价
 12. 项目改进
 13. 项目风险管理
 14. 项目质量管理
 15. 项目人力资源管理
 16. 项目财务管理
 17. 项目沟通管理
 18. 项目采购管理
 19. 项目风险管理
 20. 项目质量管理
 21. 项目人力资源管理
 22. 项目财务管理
 23. 项目沟通管理
 24. 项目采购管理
 25. 项目风险管理
 26. 项目质量管理
 27. 项目人力资源管理
 28. 项目财务管理
 29. 项目沟通管理
 30. 项目采购管理

31. 项目风险管理
 32. 项目质量管理
 33. 项目人力资源管理
 34. 项目财务管理
 35. 项目沟通管理
 36. 项目采购管理
 37. 项目风险管理
 38. 项目质量管理
 39. 项目人力资源管理
 40. 项目财务管理
 41. 项目沟通管理
 42. 项目采购管理
 43. 项目风险管理
 44. 项目质量管理
 45. 项目人力资源管理
 46. 项目财务管理
 47. 项目沟通管理
 48. 项目采购管理
 49. 项目风险管理
 50. 项目质量管理
 51. 项目人力资源管理
 52. 项目财务管理
 53. 项目沟通管理
 54. 项目采购管理
 55. 项目风险管理
 56. 项目质量管理
 57. 项目人力资源管理
 58. 项目财务管理
 59. 项目沟通管理
 60. 项目采购管理

□□□□□□



□□□□□□□□□□

Our company is at the leading edge of China's polyurethane manufacturing industry, we currently own 12 pieces of professional high and low polyurethane injection equipment which have been imported from Italy and Germany. We also own 5 independent and continuous production lines.

Our polyurethane manufacturing capacity allows us to create product weights in the range of 1-9,000 grams, and sizes in the range of 1-2,600 millimeters.

All of our products are of preeminent quality standards, and as a result, we have never received a return shipment from a client.


We believe that our quality, reliability, and favorable prices will be attractive to any company looking for a production-capacity manufacturer for polyurethane and other products.



Quality Management



Material Research and Develop



Experimental equipment

Finehope



我們提供

1. 專業技術工程師團隊?

Finehope 擁有資深 PU 工程師，可協助客戶進行 PU 產品開發，從原料選擇到最終產品，提供完整服務。CAT、FIAT、TVH、GGP 等客戶均曾與我們合作，12 年來，我們一直致力於為客戶提供優質服務。

2. Finehope 設備完善?

我們擁有先進的實驗設備，可滿足客戶的各種需求。

3. 專業技術工程師團隊?

我們擁有資深工程師，可協助客戶進行產品開發，30 年來，我們一直致力於為客戶提供優質服務。

4. 設備完善?

我們擁有先進的實驗設備，可滿足客戶的各種需求。

5. 專業技術工程師團隊?

我們擁有資深工程師，可協助客戶進行產品開發，30 年來，我們一直致力於為客戶提供優質服務。

6. 如何選擇合適的聚氨酯材料？

選擇合適的聚氨酯材料時，應考慮以下因素：1. 使用環境（室內/室外、溫度、濕度）；2. 承載能力；3. 耐磨性；4. 抗老化性能；5. 施工方便性；6. 成本。

- 1) 室內使用，溫度在-20℃至50℃之間，選擇普通型聚氨酯材料。
- 2) 室外使用，溫度在-40℃至60℃之間，選擇耐老化型聚氨酯材料。
- 3) 承載能力大，選擇高強度型聚氨酯材料。
- 4) 需要耐磨，選擇高耐磨型聚氨酯材料。

聚氨酯 PU 材料 具有 優良 的 物理 性能 和 化學 性能 。

在 Alibaba.com 上 可以 找到 Finehope (Xiamen) Polyurethane Products Co., Ltd. 。

Finehope 公司 。

該公司 生產 各種 型號 的 聚氨酯 材料 。

該公司 提供 24 小時 熱線 服務 。