

DFM / A	000 3D 000	
Finehope	Finehope[][][][][][][][][][][][][][][][][][][]	
00000000000000000000PPT00000	0000000000000000000	RoHSDFDADCA-650000CFC0000000000000000000000000000000



ISO 9001□□□



IATF16949□□

$\quad \qquad \square \square \square \square \ \ \, adv \ \, adv \\$

1



2.


$PU \hbox{\tt } \square \square \square \square \square \square \square \square \square \square$




3.


 $\Box\Box\Box\Box\Box\Box$

Finehope





7 Aspects Define a Digital Enterprise



Cooperation experience



1.____Finehope

2. Finehope

- 3[Finehope]]]]]

3. Finehope

- 100000000000APQP00

4. Finehope

- 2000000

PU









Alibaba





 $\label{lem:finehope} Finehope \cite{lem:finehope} Finehope \cite{lem:finehope} \cite$







 ${f CODD}{f Xi}. \ {f CODD}{f CODD$

_____ Finehope





Finehope (Xiamen) New Material Technology Co., Ltd. NO. 466 Jiu-tian-hu Road Xinglin , Jimei, XIAMEN, Fujian, 361022,

CHINA
has completed the FDA Establishment Registration (as manufacturer, fereign exporter, contract manufacturer) and Device Listing with the US Food & Drug Administration,

U.S. Agent for FDA
Communications:
SUNGO TECHNICAL SERVICE INC.
6050 W EASTWOOD, AVE APT 201, CHRCAGO,
BLENOIS 6060a, USA
Tolophone 41 455/05/2779 (Ibmail magin grouplipulsus ann

Registration Number:3014535570 Device Listing#: See annex

SENIO Technical Service Inc. will confirm that such registration remains effective upon required and presentation of this corridates until the and of the coloradar jour stated obvice, solicits and registration is extensional of the coloradar contribution of the insulance of the correlation (SONO Technical Technical Inc. makes or other representations or warrantee, nor dust the confliction nodes are representations or warrantee, nor dust the confliction nodes are representations or warrantee in superiors or only other time the nonal correlation though for whose sole bandle it is travel. This confliction does not dusted understand confliction of the confliction does not dusted understand engineering and confliction of the confliction with the foregoing.

Parsant to 21 CFR 80.23. "Registration of a desire attablishment or assignment of a expiration number does not as any seg-famini approved of the attablishment or its product. Any representation that creates on supersons of global approved beausing of registration or prosession of a expiration number is instincting and countries instruction. The U.S. Food and Drug Administration does not make its matter of registration, now does the U.S. Food and Drug Administration recognite a complexit of registration, now does the U.S. Food and Drug Administration recognite in a complex of registration, \$2,000.0 Technical Service Doc is not efficient with the U.S. Food and Drug



SUNDO CHINA OFFICE Tel 021-6823002 Emel Shaye2008g 126 com: Welsite: www.sungopisel.com Add: 13" Floor, No. 1500 Century Avenue, Shanghei 200122, P.R. China

FDA

00000 1906000000FDA0000000 000000000 FDA0000000000

VSA VSA VSA		
V002 V002 V003		











Tensile Test


Tear Resistance Test

Compressive Strength





Indentation Force Deflection





Customer	N. Committee		Project	(machinesis)
Location	New Zealand		Finehope Contact	Wendy Yang
Customer Code				(Table 1991)
Risk Assessment				G1019Y04
New: Site	Technology Pr	rocess	Change Level/Date	
Other Risks			User Plant(s)	Finehope
Core Team Member	Company/Title		Phone/Fax/E-Mail	
	s Company/Title	0.00	Phone/Fax/E-Mail	
Tiger Xu	The state of the s	55	Phone/Fax/E-Mail	
Tiger Xu Yibin Lim	G.M.			
Tiger Xu Yibin Lim Cindy Wu	G.M. Vice G.M.	25		
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan	G.M. Vice G.M. Sales Manager			
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang	G.M. Vice G.M. Sales Manager Project Manager Sales	Quantity	cindy@finehope.com wendy@finehope.com	
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan	G.M. Vice G.M. Sales Manager Project Manager Sales Material	Quantity	cindy@dinehope.com wendy@dinehope.com	
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang Build Level	G.M. Vice G.M. Sales Manager Project Manager Sales Material Required Date	Quantity 10	cindy@finehope.com wendy@finehope.com	
Core Team Members Tiger Xu. Yibin Lim Cindy Wu Liangquan Wan Wendy Yang Build Level Product Design and Devels Product and Process Valid	G.M. Vice G.M. Sales Manager Project Manager Sales Material Required Date pt 21-Jun-21	1000000000	cindy@dinehope.com wendy@dinehope.com	
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang Build Level Product Design and Develo	G.M. Vice G.M. Sales Manager Project Manager Sales Material Required Date pt 21-Jun-21	10	cindy@dinehope.com wendy@dinehope.com	

APQP Deliverable	Finehope APQP Reference Only	G Y R	Project Need Date	Supplier Timing Date	Actual Closure Date	Supplier Lead Resp Initials	Finehope Acceptance Complete	Remarks or Assistance Required
			AIAG APG	P Phase 2	- Product	Design an	d Developmen	t .
 Project Timeline (Synchronized w/Production Time Plan 	2030	G	20-Jun-21	21-Jun-21	21-Jun-21	22-Jun-21	23-Jun-21	1
2. Customer Inputs / Requirements	2650	G	23-Jun-21	24-Jun-21	24-Jun-21	25-Jun-21	26-Jun-21	i i
3. Warranty & Quality liftigation Plan	2930	G	24-Jun-21	25-Jun-21	25-Jun-21	26-Jun-21	27-Jun-21	1
Customer Specific Requirements	2050	G	25-Jun-21	26-Jun-21	26-Jun-21	27-Jun-21	28-Jun-21	7
5. Design FMEA	2000	G	26-Jun-21	27-Jun-21	27-Jun-21	28-Jun-21	29-Jun-21	3.
6. Preliminary Bill of Materials (BOM)	2056	G	27-Jun-21	28-Jun-21	28-Jun-21	29-Jun-21	30-Jun-21	1
7. Prototype Control Plans	2110	G	28-Jun-21	29-Jun-21	29-Jun-21	30-Jun-21	1-Jul-21	i i
8. Prototype Builds	2110	G	29-Jun-21	30-Jun-21	30-Jun-21	1-Jul-21	2-Jul-21	1
9. Design Verification Plan & Report (DVP&R)	2130	G	30-Jun-21	1-Jul-21	1-34-21	2-34-21	3-Jul-21	1
10. Design / Process Review	2130	0	1-Jul-21	2-Jul-21	2-Jul-21	3-Jul-21	4-Jul-21	i i
11. Team Feasibility Commitment	2130	G	2-Jul-21	3-Jul-21	3-34-21	4-Jul-21	5-Jul-21	1
12. APQP Status Sub-Supplier	2130	G	3-Jul-21	4-Jul-21	4-34-21	5-Jul-21	6-Jul-21	i
13. Production Drawing & Specifications	2220	G	4-Jul-21	5-Jul-21	5-344-21	6-Jul-21	7-Jul-21	i i
14. Subcontractor Purchase Orders (Customer Tooling	3250	G	5-Jul-21	6-Jul-21	6-Jul-21	7-Jul-21	8-Jul-21	ï
15. Facilities, Equipment, Tools and Gages	2200	G	6-Jul-21	7-Jul-21	7-Jul-21	8-Jul-21	9-Jul-21	1
Management and State of Control of the Control of t			AIAG APO	P Phase 3	- Process	Design an	d Developmen	
66. Product/Process and Quality System Review	3030	a	9-Jul-21	10-Jul-21	10-Jul-21	10-34-21	11-24-21	7
17. Manufacturing Process Flow Chart	3040	G	11-Jui-21	12-Jul-21	12-34-21	12-Jul-21	13-24-21	The state of the s
18. Process FIFEA	3100	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	7
19. Pre-Launch Control Plan	2110	a	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-24-21	i
20. Process Work Instructions	3120	G	17-Jul-21	18-Jul-21	18-Jul-21	18-Jul-21	19-Jul-21	7
21. Measurement Systems Evaluation	3130	G	19-Jul-21	20-Jul-21	20-Jul-21	20-Jul-21	21-Jul-21	1
22. Packaging Specifications & Approvals	3160	0	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-Jul-21	i i
23. Manufacturing Team Training	3170	G	23-Jul-21	24-34-21	24-Jul-21	24-Jul-21	25-34-21	1
			THE OWNER WHEN PERSONS NAMED IN	OP Phase	THE OWNER OF TAXABLE PARTY.	-	ess Validation	
24. Subcontractor PPAP Approval	4005	0	9-345-21	10-346-21	10-Jul-21	10-Jul-21	11-34-21	
25. Production Control Plan	4008	G	11-Jul-21	12-Jul-21	12-Jul-21	12-344-21	13-Jul-21	i
26. Production Reasiness Review (PRR)	4009	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	1
27. Production Trial Run (PTR):	4010	a	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-Jul-21	i
26. Process Capability Studies	4038	G	17-Jul-21	18-34-21	18-Jul-21	18-Jul-21	19-Jul-21	1
29. Production Validation Plan & Report (PVP&R)	4000	G	19-Jul-21	20-Jul-21	20-Jul-21	25-Jul-21	21-34-21	i i
30. Production Part Approval (PPAP)	4110	0	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-3u6-21	1
		_					and Corrective	Action
34. Initial Production Shipment	5865	G	28-Jul-21	30-Jul-21	30-Jul-21	30-Jul-21	31-86-21	About 1
32. Production Ramp-up Plan	5005	0	31-Jul-21	2-Aug-21	2-Aug-21	2-Aug-21	3-Aug-21	
33. Full Production Date	5005	ă	5-Aug-21	7-Aug-21	7-Aug-21	7-Aug-21	8-Aug-21	
34. Conduct Lessons Learned	5005		5-Aug-21	10-Aug-21	10-Aug-21	10-Aug-21	11-Aug-21	

Design Failure Mode and Effects Analysis

(Design FMEA)

DFMEA-001

Page: page 1, totally 3 pages

Made: Xiaodong Qiu

Project Name: Injection moulding Procedure responsible dept. Production Dept

Model year/vehicle types: CRV Soybean Milk Maker

Important date: Nov.10th.2015

FMEA Date: Nov.10th.2015

function fa	Potential failure	Potential effects analysis	severity (S)	grade	potential causes/mechanism	frequenc	Current prevention process control	Current	detec			Responsibility and target completion date	action results					
	mode				s of failure	y (0)		process control	(D)				Action Taken	seventy (S)	frequency (O)	difficult to check (D)	RPN	
scyphus	size changes of handle	handle cover fall off	6	A	PP size change	6	By adjusting the product of the injection moiding process, and measure or test the clasp of product size	measure and test product size	3	108	Add the number of button bit in handle design, in order to keep the connection strength	Xiaodong Qiu 2015/08/25	By adjusting the product of the injection molding process, and measure or test product size	6	1	1	6	
scyphus	warpage of scyphus handle	Poor appearan ce break	4	С	high handle wall	6	Add the stiffener to handle wall to prevent deformation	measure and test product size	2	48	if this problem appears, make improvement by Adding the stiffener	Xisodong Qiu 2015/09/30	Add the stiffener to handle wall to prevent deformation	4	2	1	8	
scyphus	Deformati on of cup- mouth		8	A	PP material deformation. Resulting in a perpendicular direction to connect the cup and handle inward deformation. So that both sides of the tilt, the micro switch column coposite sink, and	3	Adjust the injection molding process, to prevent extrusion	measure and test cup-mouth size	3	72	in the cup packing control the direction of the lateral dimension of no force, stipulate the way of packing		stipulate the cup use egg cell methods to put the packing which do not squeeze each other	8	1	3	24	

H-R-P-001-1

Process Failure Mode and Effects Analysis (PFMEA)

潜在失效模式和后果分析

SCOOL STORY

Page:3

tem.Welding Improvement 月日 月日日日 Process Responsibilities: Production welding group 世間紀五、五戸新典書 Maker:Wenrong-Huang

Model year/project Key Dates

FMEA Date (Original):2015.03.25

FMEA No.FMEA20150325-01

tem /	Potential	Potential			Potential causes of failure		Current process control and	Current process	Detection		Suggest measures		Measure res	suffs III	6.		
Request	mode REAR	consequences of failure modes.	allure modes. PE		失效的導在要因	ence degre e		control detection	rate P 宗武事 N		接让股州	ity and target completion date	Measures and effective date	Severty FIX	Incidence rate R S E	Detection degree	R P N
Clamping (clamping required is in place, no missing or wrong loaded) 放弃 [联本] 联络 , 经股份]	Clamping	SteNG Et tNG	6	6	●Staff negligence 人用作业规则 ●Fluture for bad 用用呼吸不是	4	Make the operation standard book Make the operation standard book Make the think th	Visual inspection Finished 100% full inspection Finished 100% full inspection	6	144	●Pre-service training of staff 人类异常设计 ● Regular maintenance 工品学和设计			6	3	4	72
	is not in place	Welding error, leak welding, welding deviation, affect the assembly or use function 常計學第二集形式的推進 計劃	8	•	●Staff negligence 人员作业就加 ●Ficture for bad 未具作动不良 ●Ficture inaccurate 美具定位不進确	4	Make the operation standard book CONTROLLER Make maintenance standards, regular maintenance standards, regular maintenance standards, regular maintenance of the standards of	Visual inspection 대리보관	6	192	● Pre-service training of staff 人名用有相称 ● Regular maintenance 工具文明研究 ● Make inspection checklist for future			8	3	4	96
	nts	Affect product strength or influence the assembly 由产品证明是明明		^	Staff negligence 作业人员员制	3	Make the operation standard book 和文序点标准书	Visual Inspection	4		Final inspection personnel do 100% full inspection for each bead with mark				2	2	32
	Attachme nt error	Influence assembly	7	٨	No mistake proofing fidure 由 A 王原間	3	Make the operation standard book 化双液点锅条节	Visual inspection	5	126	●Increase the mistake proofing devices ●inspection for final inspection tools			7	2	4	56
	False welding	Lack of strength, affect the use of function	9	٨	Current, voltage, welding angle, speed setting is not reasonable 传统、传压、焊接布度、提 度设定子合适	4	●Welding process guidance making 株件外球工工作中格 ● Condition confirmation check 上京中部大学校 ● Confirm the failure test on a regular basis.	Destructive testing at 15 of the 46 th	8		After the procedure is set up to confirm the processing conditions, the execution and marking of the failure test is performed.			9	3	4	108

Production Device



Krauss Maffei







$CNC \square \square$





3D[[[[]

- · Strictly follow SA8000
- · public-spirited





Voluntary tree planting after Super Typhoon Meranti 2016

NS



