

# Building Material



## Feature:

1. [Decorative](#)
2. [Eco-friendly](#)
3. [Durable](#)
4. [Easy to install](#)
5. [Lightweight](#)

## Specification

Our products are made of high quality PU material, which is eco-friendly, durable, and easy to install. We also offer a wide range of colors and finishes to meet your needs. Our products are available in various sizes and shapes, and we can customize them according to your requirements. We are committed to providing you with the best quality and service. Our products are certified by ISO 9001 and comply with the standards of ASTM and MDF.

1	Item	Description
2	MOQ	100
3	Color	Various
4	Material	PU
5	Finish	T / T
6	Weight	Various
7	Lead time	Various
8	Payment terms	Various
9	Delivery terms	Various
10	Warranty	40
11	Other	Various

## Products applications



## Products applications



## Our company

Finehope 2002 100 32. The 7000 41





# Quality control



### I. Quality Management






- ◆ Through the continuous push, maintenance and periodic review for the quality management system of ISO9001, ISO/TS 16949, to ensure the system works sufficiently, appropriately and effectively.
- ◆ Five core tools of ISO/TS 16949 : APQP, FMEA, MSA, SPC and PPAP. The effective use of these five core tools can make our quality control and overall management level improved greatly, finally to meet the requirements of customer.

## II. Material Research and Develop



◆ Under a professional PU material R&D team, the products that has been put into production include MDI, TDI, HDI and PPDI etc polyether and polyester system formula, which covering all PU systems formula.

## Certifications



# FAQ

## 1. Finehope

- 1.
- 2.
3. Finehope
- 4.
- 5.
6. PU
7. Finehope

## 2. Finehope

1. APQP
2. Finehope
- 3.
- 4.
- 5.

## 3. Finehope

- 1.
- 2.
3. 3
- 4.

## 4. Finehope

1. Finehope R& PU D PU CAT TVH GGP 12 R& D

# Contact Us



: [cindy@finehope.com](mailto:cindy@finehope.com)



: 362869073



: cindy081004



: 86-18030120080



: 0086-592-6661767



: 86-18030120080