

DFM / A [][[	00 <b>3D</b> 000	00 00 000	
Finehope. [][] [] [] [][] [][]	Finehope[] [][] [][] [][] [][] []		0   10   100   100   100   100   100   100   100
	. 000 000 000 000 000 00000 O		000, RoHS, FDA, CA-65 00 CFC 000 000 00 0
00 0 00000 PPT0 00	0 000000.		



# **ISO 9001** □□□.

Finehope HAS. 2003 [ ISO 9001 [ IDD ] [ IDD] [ IDD] [ IDD].



## **IATF16949** □□.

1




## 2.

## **PU** [] [] [] []



000 00 00





### 4.

00 000.00

# 7 Aspects Define a Digital Enterprise



## Cooperation experience



## 

## 

- $2) \ \Box\Box\Box \ \Box\Box\Box \ \Box \ \Box\Box\Box \ \Box\Box\Box, \ \Box\Box\Box\Box \ \Box\Box\Box.$
- 4) 000 00 00.
- 5) 000 0000 0000 00000 0000.

### 

- 1)  $\sqcap \sqcap \sqcap : \sqcap \sqcap \sqcap \sqcap \sqcap (APQP)$ .
- 2) Finehope  $\square$
- 3) 00 000 000 0000 00 0000 0000.
- 4) 00 00 0 000 00 00, 00 0 000 0 000 0000.
- 5) 00 00 000 0 00 000 0000 000 00 0000.

## 

1) 0000 000 0000 0000.

- 4) 000 00 000 000 00.

# 5. 00 **PU**0 00 00000 00000?

# 





000-





## **Alibaba**[] [][][]. [][]

 $2007 \; \square \; \square\square, \; Finehope \square \; TUV \; \square\square\square \; \square\square\square\square\square \; \square\square\square\square\square \; Alibaba \square\square\square\square\square\square. \; \square\square \; \square \; \square\square\square.$ 





000.0000 00 00,0000 00









0 000 00, 000 finehope 0000 0000 0000, 00 00 "0 000 0000 00 00 0000. 00 0 0000.

П ППП.



Finehope (Xiamen) New Material Technology Co., Ltd. NO. 466 Jiu-tian-hu Road Xinglin , Jimei, XIAMEN, Fujian, 361022,

has completed the FDA Establishment Registration (as manufacturer, foreign exporter contract manufacturer) and Device Listing with the US Food & Drug Administration,

U.S. Agent for FDA SUNGO TECHNICAL SERVICE INC. 6050 W EASTWOOD AVE APT 201, CHECAGO, ILLINOIS 60630, USA Telephone: +1-855-957-7779 / E-mail: mago: groupsit/subs-

#### Registration Number:3014535570 Device Listing#: See annex

EXAGO Technood Service Inc. will confirm that mack reggs EXAGO Technood Service Inc. will the and of the colordar y terminated after insulate of this corellocate SEXGO representations or warranties, me date the corellocate person or entity other than the named corelforate helder person or entity other than the named corelforate helder person or entity of the state with remaining or agreed of the by the U.S. Food and Deng Administrations (EUGO) Techno-nounce or entity in connection with the foregoing.

\*\*A dente at

uent to 21 CFR 80°38. "Despituation of a device articloloment or assignment of a registre or does not as only way denote approval of the articloloment or its products, day represent creates on impression of efficial approved because of registration or positions of a regions or it initiation and constitutes inoderenting." The U.S. Food and Drug Administration strongs a certificate of registration, our does the U.S. Food and Drug Administration recogni-tion of registration, SIGNO Tachesial Service for, our or efficial and white U.S. Food and I



SUNDO CHINA OFFICE Tel: 021-68635052. Email Shage2008@126.com. Website: www.sungopistali.com. Add: 13\* Poor: No. 1500 Century Avenue, Shanghai 200122, P.R. China.

### **FDA** $\square\square$ .











Tensile Test


Tear Resistance Test

Compressive Strength





Indentation Force Deflection





## \_\_ \_\_ **(APQP)**

Customer	No.		Project	(mindende)							
Location	New Zealand	-	Finehope Contact	Wendy Yang							
Customer Code	G1019		Part No.								
Risk Assessment			Part Name	G1019Y04							
New: Site	Technology P	rocess	Change Level/Dat	te							
Other Risks		п	User Plant(s)	Finehope							
100000000000000000000000000000000000000			Contract Services	- manager							
	s Company/Title		Phone/Fax/E-Mail	· Hardele S							
Core Team Member Tiger Xu	G.M.		Phone/Fax/E-Mail								
Core Team Member Tiger Xu Yibin Lim	G.M. Vice G.M.		Phone/Fax/E-Mail								
Core Team Member Tiger Xu Yibin Lim Cindy Wu	G M. Vice G M. Sales Manager		Phone/Fax/E-Mail								
Core Team Member Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang	G.M. Vice G.M.		Phone/Fax/E-Mail								
Core Team Member Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang	G.M. Vice G.M. Sales Manager Project Manager Sales		Phone/Fax/E-Mail cindy/Stinehope.com wendy/Stinehope.com								
Core Team Member Tiger Xu Yibin Lim Cindy Wu Liangquan Wan	G.M. Vice G.M. Sales Manager Project Manager Sales  Material	Quantity	Phone/Fax/E-Mail  cindy/Grinehope.com  wendy/Grinehope.com	m Deta							
Core Team Member Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang	G.M. Vice G.M. Sales Manager Project Manager Sales  Material Required Date	Quantity 10	Phone/Fax/E-Mail cindy/Stinehope.com wendy/Stinehope.com	m Deta							

APQP Deliverable	Finehope APQP Reference Only	G Y R	Project Need Date	Supplier Timing Date	Actual Closure Date	Supplier Lead Resp Initials	Finehope Acceptance Complete	Remarks or Assistance Required
			AIAG APG	P Phase 2	- Product	Design an	d Developm	ent
<ol> <li>Project Timeline (Synchronized w/Production Time Plan</li> </ol>		G	20-Jun-21	21-Jun-21	21-Jun-21	22-Jun-21	23-Jun-21	
2. Customer Inputs / Requirements	2636	C	23-Jun-21	24-Jun-21	24-Jun-21	25-Jun-21	26-Jun-21	1
3. Warranty & Quality liftigation Plan	2000	G	24-Jun-21	25-Jun-21	25-Jun-21	26-Jun-21	27-Jun-21	1
Customer Specific Requirements	2050	G	25-Jun-21	26-Jun-21	26-Jun-21	27-Jun-21	28-Jun-21	1
S. Design FMEA	2000	G	26-Jun-21	27-Jun-21	27-Jun-21	28-Jun-21	29-Jun-21	T.
6. Preliminary Bill of Materials (BOM)	2050	G	27-Jun-21	28-Jun-21	28-Jun-21	29-Jun-21	30-Jun-21	1
7. Prototype Control Plans	2110	G	28-Jun-21	29-Jun-21	29-Jun-21	30-Jun-21	1-39-21	g .
8. Prototype Builds	2110	G	29-Jun-21	30-Jun-21	30-Jun-21	1-Jul-21	2-Jul-21	L.
9. Design Verification Plan & Report (DVP&R)	2138	G	30-Jun-21	1-Jul-21	1-Jul-21	2-34-21	3-Jul-21	1
10. Design / Process Review	2130	G	1-Jul-21	2-Jul-21	2-Jul-21	3-Jul-21	4-Jul-21	1
11. Team Feasibility Commitment	2130	C	2-Jul-21	3-Jul-21	3-34-21	4-Jul-21	5-Jul-21	1
12. APQP Status Sub-Suppler	2130	G	3-Jul-21	4-Jul-21	4-34-21	5-Jul-21	6-Jul-21	,
13. Production Drawing & Specifications	2220	G	4-Jul-21	5-Jul-21	5-34-21	6-Jul-21	7-Jul-21	The state of the s
14. Subcontractor Purchase Orders (Customer Tooling	3250	C	5-Jul-21	6-Jul-21	6-Jul-21	7-Jul-21	8-34-21	,
15. Facilities, Equipment, Tools and Gages	2200	G	6-Jul-21	7-Jul-21	7-Jul-21	8-Jul-21	9-Jul-21	T I
			AIAG APO	P Phase 3	- Process	Design an	d Developm	ient
66. Product/Process and Quality System Review	3030	G.	9-Jul-21	10-Jul-21	10-Jul-21	10-34-21	11-34-21	1
17. Manufacturing Process Flow Chart	3049	G	11-Jul-21	12-Jul-21	12-Jul-21	12-Jul-21	13-Jul-21	,
18. Process FIVEA	3100	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	7
19. Pre-Launch Control Plan	2110	a	15-Jul-21	16-34-21	16-Jul-21	16-Jul-21	17-Jul-21	,
29. Process Work Instructions	3120	G	17-Jul-21	18-Jul-21	18-Jul-21	18-Jul-21	19-Jul-21	,
21. Measurement Systems Evaluation	3130	G	19-Jul-21	20-Jul-21	20-Jul-21	20-Jul-21	21-Jul-21	- i
22. Packaging Specifications & Approvals	3160	0	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-34-21	7
23. Manufacturing Team Training	3170	G	23-Jul-21	24-Jul-21	24-Jul-21	24-Jul-21	25-Jul-21	7
			AIAG AP	OP Phase	Accessed to the same of	THE RESERVE OF THE PARTY OF THE	ess Validatio	ori
24. Subcontractor PPAP Approval	4903	0	9-348-21	10-34-21	10-Jul-21	10-Jul-21	11-Jul-21	,
25. Production Control Plan	4008	G	11-Jul-21	12-Jul-21	12-Jul-21	12-34-21	13-Jul-21	1
26. Production Reasiness Review (PRR)	4509	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	1
27. Production Trial Run (PTR):	4010	a	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-Jul-21	1
28. Process Capability Studies	4038	G	17-Jul-21	18-34-21	18-Jul-21	18-Jul-21	19-34-21	1
29. Production Validation Plan & Report (PVP&R)	4000	G	19-Jul-21	20-344-21	20-Jul-21	26-Jul-21	21-34-21	i i
30. Production Part Approval (PPAP)	4110	0	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-34621	1
a managara a sangara a sangara a		AIAG	APQP Pha				and Corrects	ve Action
31. Initial Production Shipment	5005	G	28-34-21	30-Jul-21	30-34-21	30-34-21	31-86-21	,
32. Production Ramp-up Plan	5005	0	31-Jul-21	2-Aug-21	2-Aug-21	2-Aug-21	3-Aug-21	i
33. Full Production Date	5005	G	5-Aug-21	7-Aug-21	7-Aug-21	7-Aug-21	8-Aug-21	i i
34. Conduct Lessons Learned	5005	G	8-Aug-21	10-Aug-21	10-Aug-21	10-Aug-21	11-Aug-21	,

 $\begin{picture}(2000) \put(0.000) \pu$ 

## □□ □□ □□ □□ **(FMEA).**

# Design Failure Mode and Effects Analysis

(Design FMEA)

DFMEA-001

Page: page 1, totally 3 pages

Made: Xiaodong Qiu

Project Name: Injection moulding Procedure responsible dept. Production Dept

Model year/vehicle types: CRV Soybean Milk Maker

Important date: Nov.10th.2015

FMEA Date: Nov.10th.2015

procedure function	Potential failure			grade		frequen			detec	RPN	recommende d measures	Responsibility and target						
requirement s	mode					completion date	Action Taken	severity (S)	frequency (O)	difficult to check (D)	RPN							
scyphus	size changes of handle	handle cover fall off	6	A	PP size change	6	By adjusting the product of the injection moiding process, and measure or test the clasp of product size	measure and test product size	3	108	Add the number of button bit in handle design, in order to keep the connection strength	Xiaodong Qiu 2015/08/25	By adjusting the product of the injection molding process, and measure or test product size	6	8	1	6	
scyphus	warpage of scyphus handle	Poor appearan ce break	4	С	high handle wall	6	Add the stiffener to handle wall to prevent deformation	measure and test product size	2	48	if this problem appears, make improvement by Adding the stiffener	Xisodong Qiu 2015/09/30	Add the stiffener to handle wall to prevent deformation	4	2	1	8	
scyphus	Deformati on of cup- mouth		8	A	PP material deformation. Resulting in a perpendicular direction to connect the cup and handle inward deformation. So that both sides of the tilt, the micro switch column coposite sink, and	3	Adjust the injection molding process, to prevent extrusion	measure and test cup-mouth size	3	72	in the cup packing control the direction of the lateral dimension of no force, stipulate the way of packing		stipulate the cup use egg cell methods to put the packing which do not squeeze each other	8	1	3	24	

H-R-P-001-1

# Process Failure Mode and Effects Analysis (PFMEA)

潜在失效模式和后果分析

SCOOL STORY

Page:3

tem Welding Improvement 月日 月日日日 Process Responsibilities: Production welding group 世間紀五, 生产的中央部 Maker:Wenrong-Huang

Model year/project Key Dates

FMEA Date (Original):2015.03.25

FMEA No.FMEA20150325-01

tem /	Potential	Potential			Potential causes of failure		Current process control and	Current process	Detection		Suggest measures		Measure res	suffs III	6.		
Request	mode REAR	consequences of failure modes.	erity Fig.	90	失效的導在要因	ence degre e	Prevention 民行立联验制团	control detection		PN	接让股州	ity and target completion date	Measures and effective date	Severty FIX	Incidence rate R S E	Detection degree	R P N
Clamping (clamping required is in place, no missing or wrong loaded) 以来:任务等 执行、无意味	Clamping	SteNG Et tNG	6	6	●Staff negligence 人用作业规划 ●Fluture for bad 用用呼吸不是	4	Make the operation standard book     Make the operation standard book     Make the think th	Visual inspection     Finished 100% full inspection     Finished 100% full inspection	6	144	●Pre-service training of staff 人类异常设计 ● Regular maintenance 工品学和设计			6	3	4	72
	is not in place	Welding error, leak welding, welding deviation, affect the assembly or use function 常計學第二集形式的推進 計劃	8	•	●Staff negligence 人员作业就加 ●Ficture for bad 未具作动不良 ●Ficture inaccurate 美具定位不進确	4	Make the operation standard book  CONTROLLER  Make maintenance standards, regular maintenance standards, regular maintenance standards, regular maintenance of the standards of	Visual inspection 대리보관	6	192	● Pre-service training of staff 人名用有相称 ● Regular maintenance 工具文明研究 ● Make inspection checklist for future			8	3	4	96
	nts	Affect product strength or influence the assembly 由产品证明是明明		^	Staff negligence 作业人员员制	3	Make the operation standard book 和文序点标准书	Visual Inspection	4		Final inspection personnel do 100% full inspection for each bead with mark				2	2	32
	Attachme nt error	Influence assembly	7	٨	No mistake proofing fidure 由 A 王原間	3	Make the operation standard book 化双液点锅条节	Visual inspection	5	126	●Increase the mistake proofing devices  ●inspection for final inspection tools			7	2	4	56
	False welding	Lack of strength, affect the use of function	9	٨	Current, voltage, welding angle, speed setting is not reasonable 传统、传压、焊接布度、提 度设定子合适	4	Welding process guidance making MITTER THE Condition confirmation check TATHER AND Condition the failure test on a regular basis.	Destructive testing at 15 of the 46 th	8		After the procedure is set up to confirm the processing conditions, the execution and marking of the failure test is performed.			9	3	4	108

# **Production Device**



## Krauss Maffei.



# 00 00 00 00 00

... 🛮 🗎



 $2016 \hspace{0.2cm} \square\square \hspace{0.2cm} Finehope \hspace{0.2cm} \square\square\square\square \hspace{0.2cm} \square\square \hspace{0.2cm} \square\square \hspace{0.2cm} \square\square\square\square \hspace{0.2cm} \square\square \hspace{0.2cm} \square \hspace$ 



# CNC □□.





## **3D** □□□


## 

- · Strictly follow SA8000
- · public-spirited





Voluntary tree planting after Super Typhoon Meranti 2016



 $\textbf{Polyurathane} \ \square \ \square\square\square \ \square\square\square\square, \ \square\square\square\square\square \ \square\square\square.$ 

### Amanda



Finehope (Xiamen) New Material Technology Co., Ltd.
No. 466 Jiutianhu Road, Xingbei Industry Area, Jimei District, Xiamen, China
Post code:361022
Email:Amanda@finehope.com

Tel: 86-592-66617667 Mob:86-18050099072