

DFM/A Report	Free 3D Design	□□ Mould Opening	Free Product Inspection Standard Setting
Finehope. will show details	Finehope help customer	Large order	In addition to the usual quantification of
and solutions of	design the desired product	quantity with mould	product physical properties and appearance
manufacturability and	or modify the design for	cost free.	standards, we will add REACH, RoHS, FDA,
assemblability through PPT	free.		CA-65, or CFC Free to the standards
to help customers reduce			according to customer needs.
trouble.			



ISO 9001 Certificate

Finehope HAS. obtained ISO 9001 certificate continuously since 2003.



IATF16949 Certification

Finehope passed the IATF16949 Automotive Quality Management Systems Certification in 2021. More than 50 documents guarantee the progress of new product development, the quality, delivery time and cost of trial and mass production products.

Since the cooperation between Finehope and Caterpillar in 2007, Finehope has used the automotive quality management system for the new product introduction, using the five tools of SPC, MSA, FMEA, APQP and PPAP, which have won praise from Caterpillar executives and established a long-term partnership so far.

□□□ Advantages

1

Automation equipment design and manufacturing capabilities

China Pu Memory Foam Mat supplier Finehope 's ability to design and manufacture automation equipment is rare in the industry. [] [] participating in the design of new PU injection mixing equipment and the automation transformation of the production line, to ensure that under the competition of China's demographic dividend is reduced and labor costs continue to rise, the production efficiency also can be improved, labor and material costs can be reduced. In addition, the continuous design and manufacturing capabilities of key equipment such as fixtures, special equipment, and automatic molds are also the reasons why Finehope is in a leading position in all aspects.

Finehope 's ability to continuously reduce costs and innovate products can help customers bring

greater value. Therefore, it is a reliable long-term partner of many Fortune 500 companies and leading companies in the industry.



2

PU raw material research and development capabilities


Since 2002, Finehope has been committed to the design and manufacture of PU moulded foam products. Independent research and development of formula materials and stable production capacity are the basis for quality assurance. China Kitchen Mats factory

Finehope can adjust the product formula at any time according to the customized needs of customers' personalized products, such as the requirements for hardness, elasticity, support, feel, density, color and other physical and chemical properties, and can make formulation requirements in compliance with the laws and regulations of various countries. Of course, a good formula must also consider the best cost performance. For new projects, the ability to develop PU formulations is a key condition for ensuring product development quality, delivery time and cost.



Scientific management [

Finehope emphasizes the importance of the Toyota Production System and Corporate Coaching Model to optimize management efficiency. Continuous improvement the efficiency and quality of all employees, management and production personnel have been effectively and continuously improved, management and production costs have been continuously reduced, but more important than efficiency and cost is the cultivation of employee growth through continuous improvement, Because this is the core of corporate sustainable development. China Decorative Anti Fatigue Mats manufacturer





4.

 $00 \ 000 \ 00$

7 Aspects Define a Digital Enterprise



Famous customer

Cooperation experience



1. 🛮 Finehope 🖺 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🖂 🦰	1.	. П	Fineh	ope∏		ППП	
---------------------------------------	----	-----	--------------	------	--	-----	--

- $2) \ 00 \ 00000 \ 00 \ 00 \ 000, \ 000 \ 000.$
- 4) 🛮 🖂 🖂 🖂 .
- 5) 000 0000 0000 00000 0000.
- 6) PU 000 00 0 000 000 000 000.

- 1) \square \square : \square \square \square \square (APQP).
- 3) 00 000 000 00 00 0000 0000.
- 5) 00 00 000 0 00 000 0000 000 00 0000.

- 1) 0000 000 00 0000 0000.
- 2) 00 000 00000.
- 3) 00 0 00 00 0 00 00 00 00 00 000.
- 4) 00 000 00 000 00.

5. PU חחח חח חחחחח חחחחח?
















000-





Alibaba [[] [] [] [] [] [] [] []

2007 $\square \square$, Finehope $\square \square \square \square$ TUV $\square \square$ $\square \square \square \square$ Alibaba $\square \square \square \square \square$.











000 00 00 000

000 000 0 0 0000 Finehope 000 00 0 0000 00 0000000.





SUNGO CHINA OFFICE Tel 021-6823032 Email Shape2008@138.com: Website: www.sungopistal.com Add: 13" Floor, No. 1500 Century Avenue, Shanghai 200122, P.R. China

$FDA \sqcap \sqcap$











Tensile Test


Tear Resistance Test

Compressive Strength





Indentation Force Deflection





__ __ **(APQP)**

Customer	P.F.			Project	(rimating)	TR (1)				
Location	New Zea	land	-	Finehope Contac	Wendy Yan	9				
Customer Code	G1019			Part No.	-	0.50				
Risk Assessment	_			Part Name	G1019Y04					
New: Site	Tech	nology P	rocess	Change Level/Da	te					
Other Risks		1.0		User Plant(s) Finehope						
Core Team Members	\$	Company/Title	55	Phone/Fax/E-Mail						
	s	Company/Title	55							
Tiger Xu	5									
Tiger Xu Yibin Lim Cindy Wu		Vice G M. Sales Manager								
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan	•	G.M. Vice G.M. Sales Manager Project Manager		cindy@finehope.com	n					
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan	5	Vice G M. Sales Manager			n					
Core Team Members Tiger Xu. Yibin Lim Cindy Wu Liangquan Wan Wendy Yang	ī	G.M. Vice G.M. Sales Manager Project Manager	Quantity	cindy@finehope.com	n					
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang		G.M. Vice G.M. Sales Manager Project Manager Sales	Guantity	cindy@finehope.co	n co					
Tiger Xu Yibin Lim Cindy Wu Liangquan Wan Wendy Yang		G.M. Vice G.M. Sales Manager Project Manager Sales Material	Quantity 10 15	cindy@finehope.cor	n co					

APQP Deliverable	Firsthope APQP Reference Only	G Y R	Project Need Date	Supplier Timing Date	Actual Closure Date	Supplier Lead Resp Initials	Finehope Acceptance Complete	Remarks or Assistance Required
			AIAG APG	P Phase 2	- Product	Design an	d Developm	nent
 Project Timeline (Synchronized w/Production Time Plan 	3030	G	20-Jun-21	21-Jun-21	21-Jun-21	22-Jun-21	23-Jun-21	, l
2. Customer Inputs / Requirements	2656	G	23-Jun-21	24-Jun-21	24-Jun-21	25-Jun-21	26-Jun-21	i i
3. Warranty & Quality Mitigation Plan	2000	G	24-Jun-21	25-Jun-21	25-Jun-21	26-Jun-21	27-Jun-21	1
Customer Specific Requirements	2000	G	25-Jun-21	26-Jun-21	26-Jun-21	27-Jun-21	28-Jun-21	T .
5. Design FMEA	2000	G	26-Jun-21	27-Jun-21	27-Jun-21	28-Jun-21	29-Jun-21	I
6. Preliminary Bill of Materials (BOM)	2056	G	27-Jun-21	28-Jun-21	28-Jun-21	29-Jun-21	30-Jun-21	1
7. Prototype Control Plans	2110	G	28-Jun-21	29-Jun-21	29-Jun-21	30-Jun-21	1-Jul-21	i i
8. Prototype Builds	2110	G	29-Jun-21	30-Jun-21	30-Jun-21	1-Jul-21	2-Jul-21	l.
9. Design Verification Plan & Report (DVP&R)	2130	G	30-Jun-21	1-Jul-21	1-Jul-21	2-34-21	3-Jul-21	1
60. Design / Process Review	2130	0	1-Jul-21	2-Jul-21	2-Jul-21	3-Jul-21	4-Jul-21	j.
11. Team Feasibility Commitment	2130	C	2-Jul-21	3-Jul-21	3-34-21	4-Jul-21	5-Jul-21	T.
12. APQP Status Sub-Supplier	2130	G	3-Jul-21	4-Jul-21	4-344-21	5-Jul-21	6-Jul-21	1
53. Production Drawing & Specifications	2220	G	4-Jul-21	5-Jul-21	5-344-21	6-Jul-21	7-Jul-21	1
54. Subcontractor Purchase Orders (Customer Tooling	3250	G	5-34-21	6-Jul-21	6-Jul-21	7-Jul-21	8-Jul-21	i.
15. Facilities, Equipment, Tools and Gages	2200	G	6-Jul-21	7-Jul-21	7-Jul-21	8-Jul-21	9-Jul-21	T I
			AIAG APO	P Phase 3	- Process	Design an	d Develope	nent
56. Product/Process and Quality System Review	3030	G.	9-Jul-21	10-Jul-21	10-Jul-21	10-34-21	11-Jul-21	1
17. Manufacturing Process Flow Chart	3040	G	11-Jul-21	12-Jul-21	12-Jul-21	12-Jul-21	13-Jul-21	1
SB. Process FI/EA	3100	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	1
19. Pre-Launch Control Plan	3110	a	15-Jul-21	16-34-21	16-Jul-21	16-Jul-21	17-24-21	ı
20. Process Work Instructions	3120	G	17-Jul-21	18-Jul-21	18-Jul-21	18-Jul-21	19-Jul-21	1
21. Measurement Systems Evaluation	3130	G	19-Jul-21	20-Jul-21	20-Jul-21	20-Jul-21	21-Jul-21	1
22. Packaging Specifications & Approvals	3160	0	21-Jul-21	22-Jul-21	22-Jul-21	22-Jul-21	23-Jul-21	i i
23. Manufacturing Team Training	3170	G	23-Jul-21	24-Jul-21	24-Jul-21	24-Jul-21	25-Jul-21	1
			AIAG AP	QP Phase	4 - Produc	and Proc	ess Validati	on
24. Subcontractor PPAP Approval	4005	0	9-34-21	10-Jul-21	10-Jul-21	10-Jul-21	11-Jul-21	1
25. Production Control Plan	4008	G	11-Jul-21	12-Jul-21	12-Jul-21	12-Jul-21	13-Jul-21	1
26. Production Ressiness Review (PRR)	4509	G	13-Jul-21	14-Jul-21	14-Jul-21	14-Jul-21	15-Jul-21	i i
27, Production Trial Run (PTR):	4510	a	15-Jul-21	16-Jul-21	16-Jul-21	16-Jul-21	17-Jul-21	1
28. Process Capability Studies	4038	G	17-Jul-21	18-34-21	18-Jul-21	18-Jul-21	19-Jul-21	,
29. Production Validation Plan & Report (PVP&R)	A290	G	19-Jul-21	20-Jul-21	20-Jul-21	26-Jul-21	21-364-21	1
30. Production Part Approval (PPAP)	4110	0	21-Jul-21	22-Jul-21	22-Jul-21	22-34-21	23-34-21	1
and the second s	S. Santa	AIAG	APOP Pha	se 5 - Fee	back, Ass	essment a	and Correct	ive Action
31. Initial Production Shipment	5005	G	28-Jul-21	30-Jul-21	30-Jul-21	30-Jul-21	31-345-21	1
32. Production Ramp-up Plan	5005	0	31-Jul-21	2-Aug-21	2-Aug-21	2-Aug-21	3-Aug-21	i i
33. Full Production Date	5005	G	5-Aug-21	7-Aug-21	7-Aug-21	7-Aug-21	8-Aug-21	7
34. Conduct Lessons Learned	5005	G	8-Aug-21	10-Aug-21	10-Aug-21	10-Aug-21	11-Aug-21	,

□□ □□ □□ □□ **(FMEA).**

Design Failure Mode and Effects Analysis

(Design FMEA)

DFMEA-001

Page: page 1, totally 3 pages

Made: Xiaodong Qiu

Project Name: Injection moulding Procedure responsible dept. Production Dept

Model year/vehicle types: CRV Soybean Milk Maker

Important date: Nov.10th.2015

FMEA Date: Nov.10th.2015

procedure function requirement s scyphus	Potential failure	Potential effects	severity (S)	grade	potential causes/mechanism	frequenc	By adjusting the		detec	RPN	Add the number of button bit in handle design, in order to keep the connection strength	Responsibility and target completion date Xiaodong Qiu 2015/08/25	action results					
	mode	analysis			s of failure	y (O)		process control	(D)				Action Taken	severity (S)	frequency (O)	difficult to check (D)	RPN	
	size changes of handle	handle cover fall off	6	A	PP size change			measure and test product size	3	108			By adjusting the product of the injection molding process, and measure or test product size	6	8	1	6	
scyphus	warpage of scyphus handle	Poor appearan ce break	4	С	high handle wall	6	Add the stiffener to handle wall to prevent deformation	measure and test product size	2	48	if this problem appears, make improvement by Adding the stiffener	Xisodong Qiu 2015/09/30	Add the stiffener to handle wall to prevent deformation	4	2	1	8	
scyphus	Deformati on of cup- mouth		8	A	PP material deformation. Resulting in a perpendicular direction to connect the cup and handle inward deformation. So that both sides of the tilt, the micro switch column coposite sink, and	3	Adjust the injection molding process, to prevent extrusion	measure and test cup-mouth size	3	72	in the cup packing control the direction of the lateral dimension of no force, stipulate the way of packing		stipulate the cup use egg cell methods to put the packing which do not squeeze each other	8	1	3	24	

H-R-P-001-1

Process Failure Mode and Effects Analysis (PFMEA)

潜在失效模式和后果分析

5000,0000

Page:3

tem Welding Improvement 月日 月日日日 Process Responsibilities: Production welding group 世間紀五, 生产的中央部 Maker:Wenrong-Huang

Model year/project Key Dates

FMEA Date (Original):2015.03.25

FMEA No.FMEA20150325-01

tem /	Potential	Potential			Potential causes of failure		Current process control and	Current process	Detection	R	Suggest measures		Measure re-	suffs III	6.							
Request	mode REAR	mode REAR	mode 扇灰光壮 族式	mode REAL	mode SIRAT	mode SEAT	consequences of failure modes.	erity Fig.	90	失效的導在要因	ence degre e	Prevention (it if it if it is	control detection 设行口链接电路线		N	接让股州	ity and target completion date	Measures and effective date	Severty FRE	Incidence rate RRE	degree	R P N
Clamping (clamping required is in place, no missing or wrong loaded) to the class of the class o	Clamping	SteNG Et tNG	6	6	●Staff negligence 人用作业规则 ●Fluture for bad 用用呼吸不是	4	Make the operation standard book Make the operation standard book Make the think th	Visual inspection Finished 100% full inspection Finished 100% full inspection	6	144	●Pre-service training of staff 人类异常设计 ● Regular maintenance 工品学和设计			6	3	4	72					
	is not in place	Welding error, leak welding, welding deviation, affect the assembly or use function 常計學第二集形式的推進 計劃	8	•	●Staff negligence 人员作业就加 ●Ficture for bad 未具作的不良 ●Ficture inaccurate 美具定位不進确	4	Make the operation standard book CONTROLLER Make maintenance standards, regular maintenance standards, regular maintenance standards, regular maintenance of the standards of	Visual inspection 대리보관	6	192	● Pre-service training of staff 人名用有相称 ● Regular maintenance 工具文明研究 ● Make inspection checklist for future は何本人の表現の自由表現			8	3	4	96					
	nts	Affect product strength or influence the assembly 由产品证明是明明		^	Staff negligence 作业人员员制	3	Make the operation standard book 和文序点标准书	Visual Inspection	4		Final inspection personnel do 100% full inspection for each bead with mark				2	2	32					
	Attachme nt error	Influence assembly	7	٨	No mistake proofing fidure 由 A 王原間	3	Make the operation standard book 化双液点锅条节	Visual inspection	5	126	●Increase the mistake proofing devices ●inspection for final inspection tools			7	2	4	56					
	False welding	Lack of strength, affect the use of function	9	٨	Current, voltage, welding angle, speed setting is not reasonable 传统、传压、焊接布度、提 度设定子合适	4	●Welding process guidance making 株件外球工工作中格 ● Condition confirmation check 上京中部大学校 ● Confirm the failure test on a regular basis.	Destructive testing at 15 of the 46 th	8		After the procedure is set up to confirm the processing conditions, the execution and marking of the failure test is performed.			9	3	4	108					

Production Device



Krauss Maffei.

 $Finehope\ HAS.\ \square\square\square\square\ \square\square\ \square\square\ \square\square\ Kraussmaffei \square\ \square\square\ \square\square\ \square\square\square\square\square\ .\ 2010\ \square\ \square\square\ \square\square\ .$



00 00 00 00 00 00

0.





CNC 🛛



00 000 00 00



3D □□□


-00 مو مومو موم موم موم موم موم موم و مومو , مو مو , مو مو , مو مو , مو مو موم مو موم مو

- · Strictly follow SA8000
- · public-spirited





Voluntary tree planting after Super Typhoon Meranti 2016



00 00000000,00000000000

Amanda



Finehope (Xiamen) New Material Technology Co., Ltd.
No. 466 Jiutianhu Road, Xingbei Industry Area, Jimei District, Xiamen, China
Post code:361022
Email:Amanda@finehope.com

Tel: 86-592-66617667 Mob:86-18050099072