









Финеоре постоянно получает сертификат ISO 9001 с 2003 года.

Сертификация IATF16949:

[Китай поставщик строительных материалов из пенополиуретана](#)

Финеоре прошла сертификацию автомобильных систем управления качеством IATF16949 в 2021 году. Более 50 документов гарантируют ход разработки новой продукции, качество, сроки поставки и стоимость пробного и серийного производства продукции.

С момента сотрудничества между Финеоре и Caterpillar в 2007 году Финеоре использовала систему управления качеством в автомобильной промышленности для внедрения нового продукта, используя пять инструментов SPC, MSA, FMEA, APQP и PPAP, которые получили похвалу от руководителей Caterpillar и установили длительную -срочное партнерство до сих пор.


Our Advandages



Возможности исследования и разработки полиуретанового сырья

С 2002 года Finehore занимается разработкой и производством изделий из формованного пенополиуретана. Независимые исследования и разработка рецептурных материалов и стабильные производственные мощности являются основой для обеспечения качества.

Finehore может скорректировать формулу продукта в любое время в соответствии с индивидуальными потребностями клиентов, персонализированными продуктами, такими как требования к твердости, эластичности, поддержке, ощущению, плотности, цвету и другим физическим и химическим свойствам, а также может сделать требования к рецептуре в соответствии с законами и правилами различных стран. Конечно, хорошая формула должна также учитывать наилучшие показатели затрат. Для новых проектов способность разрабатывать рецептуры полиуретана является ключевым условием для обеспечения качества разработки продукта, сроков поставки и стоимости.



Способность к научному управлению

Finehore подчеркивает важность производственной системы Toyota и модели корпоративного коучинга для оптимизации эффективности управления. Постоянное совершенствование Эффективность и качество работы всех сотрудников, управленческого и производственного персонала эффективно и постоянно улучшались, управленческие и производственные затраты постоянно сокращались, но это более важно, чем эффективность и стоимость - это культивирование роста сотрудников за счет постоянного совершенствования, потому что это ядро корпоративного устойчивого развития.

Возможности проектирования и производства оборудования автоматизации

Способность Finehore проектировать и производить оборудование для автоматизации является редкостью в отрасли. Участвуя в разработке нового оборудования для литья под давлением полиуретана и автоматизируя преобразование производственной линии, мы обеспечиваем сокращение демографического дивиденда Китая в условиях конкуренции. и затраты на рабочую силу продолжают расти, эффективность производства также может быть повышена, затраты на рабочую силу и материалы могут быть снижены. Кроме того, непрерывное проектирование и производственные возможности ключевого оборудования, такого как приспособления, специальное оборудование и автоматические пресс-формы, также являются причинами, по которым Finehore занимает лидирующие позиции во всех аспектах.

Способность Finehore постоянно снижать затраты и вводить новшества в продукты может помочь клиентам повысить ценность. Таким образом, Finehore является надежным долгосрочным партнером многих компаний из списка Fortune 500 и ведущих компаний отрасли.



Завод по производству пенополиуретана в Китае

Уточнение Finehore уменьшает количество проблем для клиентов, поскольку снижает небрежность в системе человеческих процессов и способность постоянно накапливать профессиональный опыт, что может гарантировать, что все новые проекты будут завершены в кратчайшие сроки.

Famous customer

Cooperation experience

Engineering
Vehicle

BOYD
CORPORATION

TVH



Honeywell | STIGA | CAT

Medical
Equipment

Hill-Rom

INVACARE
Yes, you can.

MAQUET
GETINGE GROUP

Dr Posture

Ki Mobility

Baby
Supplies

Bumbo Nuby

bugaboo

chicco

Hatch
Baby

GRACO

Fitness
Equipment

STAR TRAC
expect different.

BOWFLEX

IB&G
BUILDING PRODUCTS

ergoDRIVEN

NUVA

Other

PANDORA
UNFORGETTABLE MOMENTS

Cubefit

Knoll

Часто задаваемые вопросы

1. Почему вы выбираете Finehore?

Finehore является самым профессиональным производителем полиуретана в Китае, который имеет профессиональную команду по исследованиям и разработкам, передовое оборудование для производства полиуретана, профессиональное испытательное оборудование и безупречную систему управления качеством. У нас есть 12-летний опыт сотрудничества с CAT, FIAT, TVH, STIGA и другими известными предприятиями. Мы предоставляем им одноэтапное обслуживание от исследований и разработок до производства, чтобы удовлетворить их потребности в настройке.

2. Каковы преимущества выбора Finehore?

- 1) Обеспечение качества продукции, гарантия доставки, хорошее послепродажное обслуживание.
- 2) Рентабельность, быстрая эффективность разработки, профессиональная работа с целостностью.
- 3) Finehore проведет весь анализ тестирования, а затем разработает стандарты тестирования, чтобы уменьшить споры о стандартах качества между клиентов и производителей.
- 4) Режим управления бережливым производством.
- 5) Помощь клиентам в разработке и разработке новых продуктов.
- 6) Имеет богатый опыт в разработке и обработке изделий из полиуретана.
- 7) Finehore - высокотехнологичное предприятие в Китае с отечественными и международными патентами на изобретения, технологиями и интеллектуальными технологиями. свойство.

3. В чем отличие Finehore от отечественных аналогов?

- 1) Обеспечение качества: расширенное планирование качества (APQP).
- 2) Finehore имеет богатый опыт обслуживания крупных международных предприятий.
- 3) Имеет профессиональную научно-исследовательскую группу полиуретанового материала.
- 4) Имеет независимый дизайн, производство и инновационные возможности производственного оборудования и пресс-форм.
- 5) Имеет команду инженеров, которая отвечает за систему обеспечения качества и контроль качества.

4. Каковы различия между Finehore и европейскими и американскими аналогами?

- 1) Имеет совершенную и зрелую поддерживающую цепочку поставок.
- 2) Более низкие затраты на пресс-формы.
- 3) Высокая эффективность разработки и возможности проектирования и короткое время процесса.
- 4) Ценовое преимущество и хорошее отношение к обслуживанию.

5. Каковы области применения изделий из полиуретана?

Автомобиль, инженерная техника, спортивное оборудование для фитнеса, медицинская техника и предметы домашнего обихода и так далее.



About us







Our Certification



Сямынь Ориентированные на
рост микро-, малые и средние
предприятия



Сямынь Специализированные,
перерабатывающие,
дифференцированные,
инновационные МСП



Xiamen Science and Technology Little
Giant Ведущее предприятие



С 2019 года Finehore оценивается как «Сямьские микро-, малые и средние предприятия, ориентированные на рост». Это результат оценки муниципального правительства Сямьня, основанный на различных комплексных показателях Finehore, моделях роста, силе бренда в отрасли и хорошей корпоративной репутации, а затем выдает этот сертификат. Это доказательство того, что Finehore выделяется среди тысяч малых и средних предприятий города.

С 2020 года Finehore оценивается как «Специализированные, перерабатывающие, дифференцированные, инновационные МСП Сямэнь». «Специализированные, перерабатывающие, дифференцированные, инновационные» относятся к МСП с выдающимся основным бизнесом, сильными профессиональными способностями, сильными возможностями в области НИОКР и инноваций, а также потенциалом развития. Основное внимание уделяется новому поколению информационных технологий, производству высококачественного оборудования, новой энергии, новым материалам, биомедицине и другим отраслям среднего и высокого уровня. Правительство подчеркивает и признает «специализацию, специальные инновации» Finehore поощрять инновации и добиваться специализации, реформ и специализации.

С 2019 года Finehore была выбрана ведущей компанией Xiamen Science and Technology Little Giant. Этот сертификат был совместно выдан пятью департаментами муниципального правительства Сямьня. Критерии отбора сосредоточены на стратегических развивающихся отраслях, таких как информационные технологии нового поколения, высокотехнологичное оборудование, новые материалы, новая энергия, биология и новая медицина, энергосбережение и защита окружающей среды, а также морские высокие технологии. Эта награда показывает, что Finehore находится в авангарде отрасли в области новых информационных технологий и новых материалов.



Сертификация Управления по санитарному надзору за качеством пищевых продуктов и медикаментов

Интеграция сертификата системы управления информатизацией и индустриализацией

Сертификат стандартизации охраны труда



Finehope ежегодно проходит сертификацию Управления по санитарному надзору за качеством пищевых продуктов и медикаментов. 2018. Одобрение Управления по санитарному надзору за качеством пищевых продуктов и медикаментов означает, что продукты, произведенные Finehope, получили сертификаты иностранных правительств (CFG) и могут беспрепятственно выходить на мировой рынок.

Сертификат оценивается муниципальным правительством Сямьня и выдается Шанхайской академией управления качеством.

Этот сертификат отражает уровень глубокой интеграции Finehope в области информатизации и индустриализации.

Finehope продолжит идти по новому пути.

Производственная безопасность важна для предотвращения или снижения риска травм, болезней и смерти на рабочем месте.

Генеральный директор Finehope, Тайгер Сайд: «Только те производственные предприятия, которые продолжают уделять особое внимание безопасности как вопросу высшего уровня, безопасны высокопроизводительными и конкурентоспособными на сегодняшнем рынке».



Разрешение на выброс загрязняющих веществ провинции Фуцзянь

Разрешения на сброс загрязняющих веществ являются «удостоверениями личности» всех организаций, участвующих в сбросе загрязняющих веществ, и выдаются муниципальным бюро по охране окружающей среды Сямьня.

Генеральный секретарь Си Цзиньпин подчеркнул, что «экологическую среду следует беречь, как глаза, и к экологической среде следует относиться как к жизни».

Премьер-министр Ли Кэцян сказал: «Загрязнение окружающей среды представляет опасность для средств к существованию людей и причиняет боль их сердцам».

Третья сторона -- Сертификация TUV

С 2007 года Finehope постоянно проходит сертификацию TÜV и становится проверенным поставщиком Alibaba. Проверенный поставщик — это высококачественный поставщик, проверенный авторитетной платформой Alibaba. С помощью онлайн- и офлайн-аудитов на местах проверяются и проверяются корпоративная квалификация продавцов, квалификация продукта, корпоративные возможности и другие сильные стороны.


Quality Assurance




UNIVERSAL TESTING MACHINE(UTM)



Tensile Test



Tear Resistance Test



Compressive Strength



Indentation Force Deflection

INSPECTION STANDARD

MATERIAL PERFORMANCE TEST REPORT

Finehope
Test Report No. 00201457201 Date: 20140723 Page 1/4
 Customer: CUSTOMER SERVICE DEPARTMENT

The following samples were submitted and identified by/on behalf of the client as:

Sample Description: UHMW and MHD (underdevelopment)
 Material No.: 1
 Other info.: 1
 Sample Processing Date: 20140724
 Working Process: 20140723

Test Method

- 001 ASTM D2014-2011 Test of Density, Test Agency
- 002 ASTM D2014-2011 Test of Density, Test Agency
- 003 ASTM D2014-2011 Test of Density, Test Agency
- 004 ASTM D2014-2011 Test of Density, Test Agency
- 005 ASTM D2014-2011 Test of Density, Test Agency
- 006 ASTM D2014-2011 Test of Density, Test Agency
- 007 ASTM D2014-2011 Test of Density, Test Agency
- 008 ASTM D2014-2011 Test of Density, Test Agency
- 009 ASTM D2014-2011 Test of Density, Test Agency
- 010 ASTM D2014-2011 Test of Density, Test Agency
- 011 ASTM D2014-2011 Test of Density, Test Agency
- 012 ASTM D2014-2011 Test of Density, Test Agency
- 013 ASTM D2014-2011 Test of Density, Test Agency
- 014 ASTM D2014-2011 Test of Density, Test Agency
- 015 ASTM D2014-2011 Test of Density, Test Agency
- 016 ASTM D2014-2011 Test of Density, Test Agency
- 017 ASTM D2014-2011 Test of Density, Test Agency
- 018 ASTM D2014-2011 Test of Density, Test Agency
- 019 ASTM D2014-2011 Test of Density, Test Agency
- 020 ASTM D2014-2011 Test of Density, Test Agency
- 021 ASTM D2014-2011 Test of Density, Test Agency
- 022 ASTM D2014-2011 Test of Density, Test Agency
- 023 ASTM D2014-2011 Test of Density, Test Agency
- 024 ASTM D2014-2011 Test of Density, Test Agency
- 025 ASTM D2014-2011 Test of Density, Test Agency
- 026 ASTM D2014-2011 Test of Density, Test Agency
- 027 ASTM D2014-2011 Test of Density, Test Agency
- 028 ASTM D2014-2011 Test of Density, Test Agency
- 029 ASTM D2014-2011 Test of Density, Test Agency
- 030 ASTM D2014-2011 Test of Density, Test Agency
- 031 ASTM D2014-2011 Test of Density, Test Agency
- 032 ASTM D2014-2011 Test of Density, Test Agency
- 033 ASTM D2014-2011 Test of Density, Test Agency
- 034 ASTM D2014-2011 Test of Density, Test Agency
- 035 ASTM D2014-2011 Test of Density, Test Agency
- 036 ASTM D2014-2011 Test of Density, Test Agency
- 037 ASTM D2014-2011 Test of Density, Test Agency
- 038 ASTM D2014-2011 Test of Density, Test Agency
- 039 ASTM D2014-2011 Test of Density, Test Agency
- 040 ASTM D2014-2011 Test of Density, Test Agency
- 041 ASTM D2014-2011 Test of Density, Test Agency
- 042 ASTM D2014-2011 Test of Density, Test Agency
- 043 ASTM D2014-2011 Test of Density, Test Agency
- 044 ASTM D2014-2011 Test of Density, Test Agency
- 045 ASTM D2014-2011 Test of Density, Test Agency
- 046 ASTM D2014-2011 Test of Density, Test Agency
- 047 ASTM D2014-2011 Test of Density, Test Agency
- 048 ASTM D2014-2011 Test of Density, Test Agency
- 049 ASTM D2014-2011 Test of Density, Test Agency
- 050 ASTM D2014-2011 Test of Density, Test Agency
- 051 ASTM D2014-2011 Test of Density, Test Agency
- 052 ASTM D2014-2011 Test of Density, Test Agency
- 053 ASTM D2014-2011 Test of Density, Test Agency
- 054 ASTM D2014-2011 Test of Density, Test Agency
- 055 ASTM D2014-2011 Test of Density, Test Agency
- 056 ASTM D2014-2011 Test of Density, Test Agency
- 057 ASTM D2014-2011 Test of Density, Test Agency
- 058 ASTM D2014-2011 Test of Density, Test Agency
- 059 ASTM D2014-2011 Test of Density, Test Agency
- 060 ASTM D2014-2011 Test of Density, Test Agency
- 061 ASTM D2014-2011 Test of Density, Test Agency
- 062 ASTM D2014-2011 Test of Density, Test Agency
- 063 ASTM D2014-2011 Test of Density, Test Agency
- 064 ASTM D2014-2011 Test of Density, Test Agency
- 065 ASTM D2014-2011 Test of Density, Test Agency
- 066 ASTM D2014-2011 Test of Density, Test Agency
- 067 ASTM D2014-2011 Test of Density, Test Agency
- 068 ASTM D2014-2011 Test of Density, Test Agency
- 069 ASTM D2014-2011 Test of Density, Test Agency
- 070 ASTM D2014-2011 Test of Density, Test Agency
- 071 ASTM D2014-2011 Test of Density, Test Agency
- 072 ASTM D2014-2011 Test of Density, Test Agency
- 073 ASTM D2014-2011 Test of Density, Test Agency
- 074 ASTM D2014-2011 Test of Density, Test Agency
- 075 ASTM D2014-2011 Test of Density, Test Agency
- 076 ASTM D2014-2011 Test of Density, Test Agency
- 077 ASTM D2014-2011 Test of Density, Test Agency
- 078 ASTM D2014-2011 Test of Density, Test Agency
- 079 ASTM D2014-2011 Test of Density, Test Agency
- 080 ASTM D2014-2011 Test of Density, Test Agency
- 081 ASTM D2014-2011 Test of Density, Test Agency
- 082 ASTM D2014-2011 Test of Density, Test Agency
- 083 ASTM D2014-2011 Test of Density, Test Agency
- 084 ASTM D2014-2011 Test of Density, Test Agency
- 085 ASTM D2014-2011 Test of Density, Test Agency
- 086 ASTM D2014-2011 Test of Density, Test Agency
- 087 ASTM D2014-2011 Test of Density, Test Agency
- 088 ASTM D2014-2011 Test of Density, Test Agency
- 089 ASTM D2014-2011 Test of Density, Test Agency
- 090 ASTM D2014-2011 Test of Density, Test Agency
- 091 ASTM D2014-2011 Test of Density, Test Agency
- 092 ASTM D2014-2011 Test of Density, Test Agency
- 093 ASTM D2014-2011 Test of Density, Test Agency
- 094 ASTM D2014-2011 Test of Density, Test Agency
- 095 ASTM D2014-2011 Test of Density, Test Agency
- 096 ASTM D2014-2011 Test of Density, Test Agency
- 097 ASTM D2014-2011 Test of Density, Test Agency
- 098 ASTM D2014-2011 Test of Density, Test Agency
- 099 ASTM D2014-2011 Test of Density, Test Agency
- 100 ASTM D2014-2011 Test of Density, Test Agency

Finehope
Test Report No. 00201457201 Date: 20140723 Page 2/4
 Customer: CUSTOMER SERVICE DEPARTMENT

Test Result

| No. | Test Item | Unit | Test Standard | Customer Requirement | Customer Sample (unit) | Customer Sample (unit) |
|-----|------------------|-------------------|-----------------|----------------------|------------------------|------------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1 | Thickness | mm | ASTM D2014-2011 | 1.5 | 1.5 | 1.5 |
| 2 | Thickness | mm | ASTM D2014-2011 | 1.5 | 1.5 | 1.5 |
| 3 | Specific Gravity | g/cm ³ | ASTM D2014-2011 | 0.95 | 0.95 | 0.95 |
| 4 | Tensile Strength | MPa | ASTM D2014-2011 | 1.5 | 1.5 | 1.5 |
| 5 | Elongation | % | ASTM D2014-2011 | 1.5 | 1.5 | 1.5 |
| 6 | Resilience | % | ASTM D2014-2011 | 1.5 | 1.5 | 1.5 |

FIG. 1. In order to make the strength of two child seats can be compared, see the test specimen in the same direction (along the red and blue axis in our table) to do the tensile strength test comparison.
 2. For the specific gravity value in the above test result, it is the value of specimen with skin on one side, and the actual value of the whole sample.

Finehope
Test Report No. 00201457201 Date: 20140723 Page 3/4
 Customer: CUSTOMER SERVICE DEPARTMENT

Sketch Picture

1. This picture is only used with the Serial Report from Finehope.

| | |
|------------------------|--|
| Customer | |
| Location | New Zealand |
| Customer Code | G1019 |
| Risk Assessment | |
| New: | Site <input type="checkbox"/> Technology <input type="checkbox"/> Process <input type="checkbox"/> |
| Other Risks | <input type="checkbox"/> |

| | |
|--------------------------|------------|
| Project | |
| Finehope Contact | Wendy Yang |
| Part No. | |
| Part Name | G1019Y04 |
| Change Level/Date | |
| User Plant(s) | Finehope |

| Core Team Members | Company/Title | Phone/Fax/E-Mail |
|-------------------|-----------------|--|
| Tiger Xu | G.M. | |
| Yubin Lim | Vice G.M. | |
| Cindy Wu | Sales Manager | cindy@finehope.com |
| Liangquan Wan | Project Manager | |
| Wendy Yang | Sales | wendy@finehope.com |

| Build Level | Material Required Date | Quantity | No. Concurrent | |
|-----------------------------|------------------------|----------|----------------|--------|
| | | | SRCs | Majors |
| Product Design and Develop | 21-Jun-21 | 10 | | |
| Product and Process Validat | 25-Jun-21 | 15 | | |

| APQP Deliverable | Finehope APQP Reference Only | G Y R | Project Need Date | Supplier Timing Date | Actual Closure Date | Supplier Lead Resp Inits | Finehope Acceptance Complete | Remarks or Assistance Required |
|--|------------------------------|-------------|-------------------|----------------------|---------------------|--------------------------|------------------------------|--------------------------------|
| | | | | | | | | |
| 1. Project Timeline (Synchronized w/Production Time Plan) | 2030 | G | 20-Jun-21 | 21-Jun-21 | 21-Jun-21 | 22-Jun-21 | 23-Jun-21 | / |
| 2. Customer Inputs / Requirements | 2030 | G | 23-Jun-21 | 24-Jun-21 | 24-Jun-21 | 25-Jun-21 | 26-Jun-21 | / |
| 3. Warranty & Quality Mitigation Plan | 2030 | G | 24-Jun-21 | 25-Jun-21 | 25-Jun-21 | 26-Jun-21 | 27-Jun-21 | / |
| 4. Customer Specific Requirements | 2030 | G | 25-Jun-21 | 26-Jun-21 | 26-Jun-21 | 27-Jun-21 | 28-Jun-21 | / |
| 5. Design FMEA | 2080 | G | 26-Jun-21 | 27-Jun-21 | 27-Jun-21 | 28-Jun-21 | 29-Jun-21 | / |
| 6. Preliminary Bill of Materials (BOM) | 2030 | G | 27-Jun-21 | 28-Jun-21 | 28-Jun-21 | 29-Jun-21 | 30-Jun-21 | / |
| 7. Prototype Control Plans | 2110 | G | 28-Jun-21 | 29-Jun-21 | 29-Jun-21 | 30-Jun-21 | 1-Jul-21 | / |
| 8. Prototype Builds | 2110 | G | 29-Jun-21 | 30-Jun-21 | 30-Jun-21 | 1-Jul-21 | 2-Jul-21 | / |
| 9. Design Verification Plan & Report (DVP&R) | 2120 | G | 30-Jun-21 | 1-Jul-21 | 1-Jul-21 | 2-Jul-21 | 3-Jul-21 | / |
| 10. Design / Process Review | 2130 | G | 1-Jul-21 | 2-Jul-21 | 2-Jul-21 | 3-Jul-21 | 4-Jul-21 | / |
| 11. Team Feasibility Commitment | 2130 | G | 2-Jul-21 | 3-Jul-21 | 3-Jul-21 | 4-Jul-21 | 5-Jul-21 | / |
| 12. APQP Status Sub-Supplier | 2130 | G | 3-Jul-21 | 4-Jul-21 | 4-Jul-21 | 5-Jul-21 | 6-Jul-21 | / |
| 13. Production Drawing & Specifications | 2220 | G | 4-Jul-21 | 5-Jul-21 | 5-Jul-21 | 6-Jul-21 | 7-Jul-21 | / |
| 14. Subcontractor Purchase Orders (Customer Tooling) | 2220 | G | 5-Jul-21 | 6-Jul-21 | 6-Jul-21 | 7-Jul-21 | 8-Jul-21 | / |
| 15. Facilities, Equipment, Tools and Gages | 2260 | G | 6-Jul-21 | 7-Jul-21 | 7-Jul-21 | 8-Jul-21 | 9-Jul-21 | / |
| AIAG APQP Phase 3 - Process Design and Development | | | | | | | | |
| 16. Product/Process and Quality System Review | 3030 | G | 9-Jul-21 | 10-Jul-21 | 10-Jul-21 | 10-Jul-21 | 11-Jul-21 | / |
| 17. Manufacturing Process Flow Chart | 3040 | G | 11-Jul-21 | 12-Jul-21 | 12-Jul-21 | 12-Jul-21 | 13-Jul-21 | / |
| 18. Process FMEA | 3100 | G | 13-Jul-21 | 14-Jul-21 | 14-Jul-21 | 14-Jul-21 | 15-Jul-21 | / |
| 19. Pre-Launch Control Plan | 3110 | G | 15-Jul-21 | 16-Jul-21 | 16-Jul-21 | 16-Jul-21 | 17-Jul-21 | / |
| 20. Process Work Instructions | 3120 | G | 17-Jul-21 | 18-Jul-21 | 18-Jul-21 | 18-Jul-21 | 19-Jul-21 | / |
| 21. Measurement Systems Evaluation | 3130 | G | 19-Jul-21 | 20-Jul-21 | 20-Jul-21 | 20-Jul-21 | 21-Jul-21 | / |
| 22. Packaging Specifications & Approvals | 3160 | G | 21-Jul-21 | 22-Jul-21 | 22-Jul-21 | 22-Jul-21 | 23-Jul-21 | / |
| 23. Manufacturing Team Training | 3170 | G | 23-Jul-21 | 24-Jul-21 | 24-Jul-21 | 24-Jul-21 | 25-Jul-21 | / |
| AIAG APQP Phase 4 - Product and Process Validation | | | | | | | | |
| 24. Subcontractor PPAP Approval | 4005 | G | 9-Jul-21 | 10-Jul-21 | 10-Jul-21 | 10-Jul-21 | 11-Jul-21 | / |
| 25. Production Control Plan | 4008 | G | 11-Jul-21 | 12-Jul-21 | 12-Jul-21 | 12-Jul-21 | 13-Jul-21 | / |
| 26. Production Readiness Review (PRR) | 4009 | G | 13-Jul-21 | 14-Jul-21 | 14-Jul-21 | 14-Jul-21 | 15-Jul-21 | / |
| 27. Production Trial Run (PTR) | 4010 | G | 15-Jul-21 | 16-Jul-21 | 16-Jul-21 | 16-Jul-21 | 17-Jul-21 | / |
| 28. Process Capability Studies | 4030 | G | 17-Jul-21 | 18-Jul-21 | 18-Jul-21 | 18-Jul-21 | 19-Jul-21 | / |
| 29. Production Validation Plan & Report (PV&R) | 4090 | G | 19-Jul-21 | 20-Jul-21 | 20-Jul-21 | 20-Jul-21 | 21-Jul-21 | / |
| 30. Production Part Approval (PPAP) | 4110 | G | 21-Jul-21 | 22-Jul-21 | 22-Jul-21 | 22-Jul-21 | 23-Jul-21 | / |
| AIAG APQP Phase 5 - Feedback, Assessment and Corrective Action | | | | | | | | |
| 31. Initial Production Shipment | 5005 | G | 20-Jul-21 | 30-Jul-21 | 30-Jul-21 | 30-Jul-21 | 31-Jul-21 | / |
| 32. Production Ramp-up Plan | 5005 | G | 31-Jul-21 | 2-Aug-21 | 2-Aug-21 | 2-Aug-21 | 3-Aug-21 | / |
| 33. Full Production Date | 5005 | G | 5-Aug-21 | 7-Aug-21 | 7-Aug-21 | 7-Aug-21 | 8-Aug-21 | / |
| 34. Conduct Lessons Learned | 5005 | G | 8-Aug-21 | 10-Aug-21 | 10-Aug-21 | 10-Aug-21 | 11-Aug-21 | / |

Design Failure Mode and Effects Analysis (Design FMEA)

FMEA No.:
DFMEA-001

Page: page 1, totally 3 pages
Made: Xiaodong Qiu

Product Name: Injection moulding

Procedure responsible dept: Production Dept

Model year/vehicle types: CRV

Soybean Milk Maker

Important date: Nov.10th,2015

FMEA Date: Nov.10th,2015

People participated: Develop dept:GaoLin Wei

Sales:Haiyan Wu

PC:Jiannan Yan

Technology Dept:Jianyu Zhou

Purchaser:Yuanyuan Gou

Production dept:Shuwen Dong

QC:Bingxiang Zheng

| procedure function requirements | Potential failure mode | Potential effects analysis | severity (S) | grade | potential causes/mechanisms of failure | frequency (O) | Current prevention process control | Current detection process control | detection (D) | RPN | recommended measures | Responsibility and target completion date | action results | | | | |
|---------------------------------|---------------------------|----------------------------|--------------|-------|--|---------------|--|-----------------------------------|---------------|-----|---|---|---|---------------|------------------------|-----|----|
| | | | | | | | | | | | | | severity (S) | frequency (O) | difficult to check (D) | RPN | |
| scyphus | size changes of handle | handle cover fall off | 6 | A | PP size change | 6 | By adjusting the product of the injection molding process, and measure or test the clasp of product size | measure and test product size | 3 | 108 | Add the number of button bit in handle design, in order to keep the connection strength | Xiaodong Qiu 2015/08/25 | By adjusting the product of the injection molding process, and measure or test product size | 6 | 1 | 1 | 6 |
| scyphus | warping of scyphus handle | Poor appearance break | 4 | C | high handle wall | 6 | Add the stiffener to handle wall to prevent deformation | measure and test product size | 2 | 48 | if this problem appears, make improvement by Adding the stiffener | Xiaodong Qiu 2015/09/30 | Add the stiffener to handle wall to prevent deformation | 4 | 2 | 1 | 8 |
| scyphus | Deformation of cup-mouth | Micro switch without power | 8 | A | PP material deformation, Resulting in a perpendicular direction to connect the cup and handle inward deformation, So that both sides of the 球, the micro switch column opposite sink., and | 3 | Adjust the injection molding process, to prevent extrusion | measure and test cup-mouth size | 3 | 72 | in the cup packing control the direction of the lateral dimension of no force, stipulate the way of packing | Xiaodong Qiu 2015/09/10 | stipulate the cup use egg cell methods to put the packing which do not squeeze each other | 8 | 1 | 3 | 24 |

H-R-P-001-1

Process Failure Mode and Effects Analysis (PFMEA)

潜在失效模式和后果分析

FMEA No.FMEA20150325-01

Page 3

Maint:Wenhong-Huang

FMEA Date (Original):2015.03.25

Item:Welding Improvement

Process Responsibilities: Production welding group

Model year/project

Key Dates

| Item 项目 | Potential failure mode 潜在失效模式 | Potential consequences of failure modes 失效的后果/潜在失效模式 | Severity 严重度 | Grade 等级 | Potential causes of failure 失效的潜在原因 | Occurrence degree 发生度 | Current process control and prevention 现行过程控制/预防 | Current process control detection 现行过程控制/检测 | Detection rate 检测率 | RPN | Suggest measures 建议措施 | Responsibility and target completion date 责任及完成日期 | Measure results/测量结果 | | | |
|--|---|---|-----------------|-------------|---|--------------------------|---|--|-----------------------|-----|---|--|--|-----------------|-----------------------|--------------------------|
| | | | | | | | | | | | | | Measures and effective date 措施及有效日期 | Severity 严重度 | Incidence rate 发生率 | Detection degree 可检测度 |
| Clamping is not in place 夹具不在位 | SizeNG 尺寸NG | | 6 | B | ● Staff negligence 人员疏忽 ● Failure for bad 夹具不到位 | 4 | ● Make the operation standard book 制定作业标准书 ● Make maintenance standards, regular maintenance 制定保养标准,定期保养,维护 | ● Visual inspection 目视检测 ● Finished 100% full inspection 完成100%全检 | 6 | 144 | ● Pre-service training of staff 岗前培训 ● Regular maintenance 定期保养维护 | | 6 | 3 | 4 | 72 |
| Clamping (Clamping required is in place, no missing or wrong loaded) 夹具不在位,无漏装,错装 | Welding error, leak, welding deviation, affect the assembly or use function 焊接错误,漏焊,焊接偏差,影响装配或使用功能 | | 8 | A | ● Staff negligence 人员疏忽 ● Failure for bad 夹具不到位 ● Failure inaccurate 夹具定位不准确 | 4 | ● Make the operation standard book 制定作业标准书 ● Make maintenance standards, regular maintenance 制定保养标准,定期保养,维护 ● Regular checking of fixture 夹具定期检查 | Visual inspection 目视检测 | 6 | 192 | ● Pre-service training of staff 岗前培训 ● Regular maintenance 定期保养维护 ● Make inspection checklist for fixture 夹具检查清单 | | 8 | 3 | 4 | 96 |
| Attachments missing 附件缺失 | Affect product strength or influence the assembly 影响产品强度或影响装配 | | 8 | A | Staff negligence 作业人员疏忽 | 3 | Make the operation standard book 制定作业标准书 | Visual inspection 目视检测 | 4 | 96 | Final inspection personnel do 100% full inspection for each bead with man 终检人员100%全检,抽检 | | 8 | 2 | 2 | 32 |
| Attachment error 附件错误 | Influence assembly 影响装配 | | 7 | A | No mistake proofing fixture 无防错夹具 | 3 | Make the operation standard book 制定作业标准书 | Visual inspection 目视检测 | 6 | 126 | ● Increase the mistake proofing devices 增加防错装置 ● Inspection for final inspection tools 终检工具检查 | | 7 | 2 | 4 | 56 |
| False welding 假焊 | Lack of strength, affect the use of function 强度不足,影响使用功能 | | 9 | A | Current, voltage, welding angle, speed setting is not reasonable 电流,电压,焊接角度,速度设置不合理 | 4 | ● Welding process guidance making 制定焊接工艺指导书 ● Condition confirmation check 作业条件确认 ● Confirm the failure test on a regular basis 定期确认失效测试 | Destructive testing 破坏性试验 | 8 | 288 | After the procedure is set up to confirm the processing conditions, the execution and marking of the failure test is performed. 工序设置完成后确认加工条件,确认 | | 9 | 3 | 4 | 108 |

Production Device

KRAUSS MAFFEI

Finehope has successively introduced many of the world's most advanced German KraussMaffei high-pressure injection machines since 2010.



Reaction Injection Molding (RIM) High Pressure Machine KRAUSS MAFFEI Made in Germany!



Self-invented fully automatic production line

Finehope has independently developed a number of fully automatic P-U injection production lines since 2010. These production lines reduce production costs and meet customer delivery requirements.



Welding Robots



Since 2016, Finehope has continued to purchase welding robots and automatic fixture turntables for welding metal parts. The independent processing of accessories saves the waiting time and procurement cost of outsourcing processing.

CNC Machine

Finehope has continued to purchase CNC equipment since 2016. CNC (Computer Numerically Controlled) machining is a manufacturing process in which pre-programmed computer software dictates the movement of factory tools and machinery. Using this type of machine versus manual machining can result in improved accuracy, increased production speeds, enhanced safety, increased efficiency and most importantly, help customers save costs and improve product quality.




Mould Release Agent Painting Robot



Since 2019, Finehope has purchased robots for spraying water-based release agents to improve the working environment, improve spraying quality and material utilization, and reduce labor costs.

3D printer

Finehope started to purchase 3D printers in 2015. 3D printing can realize rapid proofing of new product prototypes and templates for resin molds, and can also be used for faster and cheaper small batch production.



Social Responsibility

- **Audited by Sedex**

(Supplier business ethics information exchange)

Labor standard · health and safety · Environmental protection · Business ethics practice

- **Public-spirited**



Voluntary tree planting after Super Typhoon Meranti in 2016

A VALUE-BASED COMPANY

CUSTOMER FIRST

TEAMWORK

EMBRACE CHANGES

PASSION

INTEGRITY

COMMITMENT

